




# CONCRETE SAW PARTS LIST

**MODEL  
CC6566**

March 2021

Part # 1801986

## CC6566 RPM CHART

| BLADE SIZE                                                                        | BLADE RPM                                                                         | BLADESHAFT SHEAVE                                                                 | ENGINE SHEAVE                                                                     | ENGINE RPM                                                                        | BELT SIZE                                                                          | FLANGE SIZE                                                                         | MAX CUT DEPTH                                                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 14"                                                                               | 2,900                                                                             | 4"                                                                                | 4"                                                                                | 2,900                                                                             | 3VX570                                                                             | 4-1/2"                                                                              | 4-1/2"                                                                              |
| 20"                                                                               | 2,500                                                                             | 4.5"                                                                              | 4"                                                                                | 2,800                                                                             | 3VX580                                                                             | 4-1/2"                                                                              | 7-1/2"                                                                              |
| 26"                                                                               | 2,100                                                                             | 4.5"                                                                              | 4"                                                                                | 2,350                                                                             | 3VX580                                                                             | 4-1/2"                                                                              | 10-1/2"                                                                             |
| 30"                                                                               | 1,800                                                                             | 6"                                                                                | 4"                                                                                | 2,700                                                                             | 3VX600                                                                             | 6"                                                                                  | 11-3/4"                                                                             |
| 36"                                                                               | 1,500                                                                             | 6"                                                                                | 4"                                                                                | 2,250                                                                             | 3VX600                                                                             | 6"                                                                                  | 14-3/4"                                                                             |
| 42"                                                                               | 1,300                                                                             | 6"                                                                                | 4"                                                                                | 1,950                                                                             | 3VX600                                                                             | 6"                                                                                  | 17-3/4"                                                                             |
|  |  |  |  |  |  |  |  |

**WARNING! NEVER EXCEED THE MAXIMUM RPM STAMPED ON BLADE!**  
EXCESSIVE SPEED CAN CAUSE BLADE BREAKAGE RESULTING IN SERIOUS PERSONAL INJURY OR DEATH.

### ⚠ WARNING

- Always check the bladeshaft RPM before mounting blade.
- Only use blades with a rated speed higher than the bladeshaft speed.
- Never exceed the maximum RPM stamped on blade. Overspeeding the blade can cause blade breakage and serious personal injury.
- When changing blade size, always adjust bladeshaft RPM according to the speed chart to match recommended blade RPM.
- Do not use a blade flange size smaller than indicated for each blade.
- Never operate saw without the blade guard in place or allow rotating blade exposure to exceed 180 degrees.
- Never stand in line with the blade path when starting or operating saw.
- Never use damaged blades or equipment.
- Refer to operator's manual for additional information about safety, operation and maintenance.

### ⚠ ADVERTENCIA

- Asegúrese de verificar la velocidad en RPM del eje de la hoja de sierra antes de montar la hoja.
- Use solamente hojas de sierras cuyas velocidades de operación fueren establecidas para velocidades superiores a las velocidades del eje de hoja.
- Nunca exceda la velocidad de operación máxima en RPM estampada en la hoja de sierra. Operar la hoja a una velocidad superior a la establecida puede causar la rotura de la hoja y serias lesiones corporales.
- Cuando cambie el tamaño de la hoja de sierra, asegúrese de ajustar la velocidad en RPM del eje de hoja de acuerdo con la velocidad mencionada en la tabla para que concuerde con la velocidad en RPM establecida para la hoja de sierra.
- No utilice un tamaño más pequeño de pestillos de hoja de sierra que el indicado en cada hoja de sierra.
- Nunca opere la sierra sin haber colocado los protectores en sus lugares correspondientes ni permita que la parte expuesta de la hoja de sierra en rotación exceda los 180 grados.
- No se coloque en la misma dirección que va la hoja de la sierra al arrancar la sierra o cuando esté operando la sierra.
- Nunca use equipos ni hojas de sierras que están dañados.
- Para obtener más información sobre la seguridad de operación, funcionamiento y mantenimiento del equipo, lea el manual del operador.



## WARNING




**The engine exhaust from this product  
contains chemicals known to the  
State of California to cause cancer,  
birth defects or other reproductive harm.**

## **Table of Contents**


|                                              |       |                                             |       |
|----------------------------------------------|-------|---------------------------------------------|-------|
| Pictorial Index.....                         | 4,5   | Engine Assembly.....                        | 42,43 |
| Controls Legend.....                         | 6     | PTO Assembly.....                           | 44,45 |
| Quick Reference Service Filters / Belts..... | 7     | Rotary Tensioner Assembly.....              | 46    |
| Frame Upright Assembly.....                  | 8,9   | Transmission Jackshaft Assembly.....        | 47    |
| Instrument Panel Assembly.....               | 10,11 | Muffler Assembly.....                       | 48    |
| Control Lever Assembly.....                  | 12    | Flex Fan Drive Assembly.....                | 49    |
| Control Grip Assembly.....                   | 13    | Radiator Assembly.....                      | 50,51 |
| Parking Brake Assembly.....                  | 14,15 | Radiator Shroud Assembly.....               | 52    |
| Fuel Tank Assembly.....                      | 16    | Belt Guard Assembly.....                    | 53    |
| Fuel Supply Assembly.....                    | 17    | Front Pointer Assembly.....                 | 54    |
| Battery Assembly.....                        | 18,19 | 14" Blade Guard Assembly.....               | 56,57 |
| Hydraulic Pump Assembly.....                 | 20    | 20" Blade Guard Assembly.....               | 58,89 |
| Water Supply Assembly.....                   | 21    | 26" Blade Guard Assembly.....               | 60,61 |
| Depth Indicator Assembly.....                | 22    | 30" Blade Guard Assembly.....               | 62,63 |
| Depth Stop Assembly.....                     | 23    | 36" Blade Guard Assembly.....               | 64,65 |
| Air Cleaner Assembly.....                    | 24    | 42" Blade Guard Assembly.....               | 66,67 |
| Coolant Tank Assembly.....                   | 25    | Optional Water Pump Assembly.....           | 68    |
| Frame Base Assembly.....                     | 26,27 | Optional Water Safety Switch Assembly.....  | 69    |
| Rear Drive Assembly.....                     | 28,29 | Optional Spot Light Assembly.....           | 70    |
| Eaton Transmission Assembly.....             | 30    | Optional Speed Metering Valve Assembly..... | 71    |
| Linkage Assembly.....                        | 31    | Optional Blade Stacking Assembly.....       | 72,73 |
| Rear Axle Assembly.....                      | 32    | Optional Blade Spacing Assembly.....        | 74,75 |
| Hydraulic Cylinder Assembly.....             | 33    | Optional Blade Spacing Assembly.....        | 76,77 |
| Front Axle Assembly.....                     | 34    | Optional Side Plunge Assembly.....          | 78,79 |
| Front Wheel Assembly.....                    | 35    | Wiring Diagram.....                         | 80    |
| Blade Shaft Assembly.....                    | 36,37 | Decal Group.....                            | 81    |
| Expansion Tank Assembly.....                 | 38    | Notes.....                                  | 82    |
| Frame Lift Assembly.....                     | 39    | Blade Speed Conversion Charts.....          | 83    |
| Belt Tensioner Assembly.....                 | 40    | Warranty.....                               | 84    |
| Belt Drive Assembly.....                     | 41    |                                             |       |

## Pictorial Page Index






## Pictorial Page Index



## Controls Legend

|    |                                   |
|----|-----------------------------------|
| 1  | Ignition Switch                   |
| 2  | Coolant Temperature Gauge         |
| 3  | Engine 4 Warning Light Gauge      |
| 4  | Engine Throttle Control           |
| 5  | Blade Tachometer / Hour Meter     |
| 6  | Parking Brake Lever               |
| 7  | Air Cleaner Restriction Indicator |
| 8  | Depth Stop Knob                   |
| 9  | Cutting Depth Indicator           |
| 10 | Pointer Rope Cleat                |
| 11 | Water Valve                       |


|    |                                 |
|----|---------------------------------|
| 12 | Emergency Stop Button           |
| 13 | Handle Bar Lock Knobs           |
| 14 | Travel Speed Control Lever      |
| 15 | Saw Raise Push Button           |
| 16 | Saw Lower Push Button           |
| 17 | Fuel Filler / Gauge Cap         |
| 18 | Transmission Engagement Lever   |
| 19 | Water Safety Switch (Optional)  |
| 20 | Spot Light Switch (Optional)    |
| 21 | Water Pump Switch (Optional)    |
| 22 | Lowering Speed Valve (Optional) |



## **Quick Reference Service Filters / Belts**

| <b>DP Part No.</b> | <b>Description</b>       | <b>Manufacturer's Part No.</b> |
|--------------------|--------------------------|--------------------------------|
| 2702630            | Engine Oil Filter        | Kubota #HH1CO-32430            |
| 2702631            | Engine Fuel Filter       | Kubota #16631-43560            |
| 2501785            | In-Line Fuel Tank Filter | Wix #33007                     |
| 2501386            | Outer Primary Air Filter | Donaldson #P827653             |
| 2501387            | Inner Safety Air Filter  | Donaldson #P829332             |
| 2503849            | Blade Shaft Belt         | Gates #3VX570                  |
| 2503683            | Blade Shaft Belt         | Gates #3VX580                  |
| 2503684            | Blade Shaft Belt         | Gates #3VX600                  |
| 2500792            | Engine to Jackshaft Belt | Gates #3VX400                  |
| 2503679            | Eaton Transmission Belt  | Gates #AX37                    |


## **Frame Upright Assembly #6019010A**



## **Frame Upright Assembly #6019010A**

| ITEM | PART NO. | QTY. | DESCRIPTION                            |
|------|----------|------|----------------------------------------|
| 1    | 6010687  | 1    | Frame Upright Weldment                 |
| 2    | 2900013  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1-1/4"    |
| 3    | 2900014  | 4    | Flat Washer, 3/8" SAE                  |
| 4    | 2900018  | 4    | Locknut, 3/8-16, Nylon                 |
| 5    | 2900499  | 4    | Cap Screw, Hex Hd., 1/2-13 x 1-1/2"    |
| 6    | 2900058  | 4    | Flat Washer, 1/2" SAE                  |
| 7    | 2900026  | 4    | Lock Nut, 1/2-13 Nylon                 |
| 8    | 6010014  | 2    | Handle Bar, 36" Long                   |
| 9    | 2500636  | 2    | Handle Grip                            |
| 10   | 2900430  | 2    | Hand Lock Knob, 1/2-13 x 1-1/2"        |
| 11   | 2501427  | 1    | Rope Cleat                             |
| 12   | 2900483  | 2    | Tap Screw, Flat Hd., #10-24 x 1-1/4"   |
| 13   | 6010015  | 1    | Rear Cover Screen                      |
| 14   | 2503687  | 2    | Pocket Pull Handle                     |
| 15   | 2900180  | 4    | Cap Screw, Hex Flange Hd., 1/4-20 x 1" |
| 16   | 6019271  | 2    | Split Grommet Plate                    |
| 17   | 2506042  | 1    | Grommet, 3/4" I.D.                     |
| 18   | 2900794  | 4    | Machine Screw, Pan Hd., M5-0.8 x 12mm  |
| 19   | 2900301  | 4    | Lock Nut, M5-0.8 Nylon Insert          |
| 20   | 2501434  | 1    | Hose Clamp, 5/8" x 3/4" Wide           |
| 21   | 3201729  | 1    | Hose Clamp, 1" x 3/4" Wide             |
| 22   | 2900005  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1"        |
| 23   | 2501287  | 7    | Plug, 7/16" Hole                       |
| 24   | 2503749  | 6    | Plug, 5/16" Hole (Tapered)             |
| 25   | 1800169  | 1    | Serial Number Plate, US                |
| 26   | 2900096  | 2    | Rivet, 3/32" Dia.                      |
| 27   | 1800377  | 1    | Serial Number Plate, CE                |
| 28   | 2900287  | 2    | Rivet, 1/8" Dia.                       |
| 29   | 2503704  | 1    | Wrench, 15/16" Combination             |


**Instrument Panel Assembly #6019015**



## **Instrument Panel Assembly #6019015**

| ITEM | PART NO. | QTY. | DESCRIPTION                           |
|------|----------|------|---------------------------------------|
| 1    | 6019068  | 1    | Gauge Panel                           |
| 2    | 2900021  | 14   | Tap Screw, Pan Hd., #10-24 x 3/8"     |
| 3    | 2705001  | 1    | Ignition Switch & Keys                |
|      | 2705000  | 1    | Ignition Keys Only (Pair)             |
| 4    | 2800617  | 1    | Water Temperature Gauge               |
| 5    | 2503981  | 2    | O-Ring #033                           |
| 6    | 2705003  | 1    | Cluster Gauge, 4 Warning Light        |
| 7    | 2503772  | 1    | Vernier Throttle Cable                |
| 8    | 2900696  | 2    | Jam Nut, 3/8-24                       |
| 9    | 2503847  | 1    | Wire Stop and Screw                   |
| 10   | 2502180  | 1    | Wire Stop Pivot Assembly              |
| 11   | 6010416  | 1    | Tach/Hour Meter (VDO) Calibrated 60   |
|      | 2800611  | 2    | Light Socket                          |
|      | 2800612  | 2    | Light Bulb, Wedge Base                |
| 12   | 2400628  | 1    | O-Ring #152                           |
| 13   | 6010019  | 1    | Hydraulic Pump Cover Plate            |
| 14   | 2801367  | 1    | E-Stop Switch                         |
| 15   | 6010098  | 1    | Switch Plate                          |
| 16   | 2500204  | 3    | Plug, 1/2" Hole                       |
| 17   | 2800925  | 1    | Fuse Block, 6 Circuit, Mini ATM       |
| 18   | 2801439  | 3    | Fuse, 10 Amp Mini (Red)               |
| 19   | 2900913  | 2    | Cap Screw, Soc. Hd., #10-24 x 1"      |
| 20   | 2900017  | 6    | Lock Nut, #10-24 Nylon                |
| 21   | 2800643  | 1    | Circuit Breaker, 40 Amp               |
| 22   | 2800364  | 1    | Circuit Breaker Boot                  |
| 23   | 2506028  | 3    | Grommet, 3/16" I.D.                   |
| 24   | 2900015  | 3    | Machine Screw, Hex Hd., #10-24 x 3/4" |
| 25   | 2900016  | 6    | Flat Washer, #10 USS                  |
| 26   | 2800368  | 1    | Bridge Rectifier                      |
| 27   | 2900054  | 1    | Machine Screw, Hex Hd., #10-24 x 1"   |
| 28   | 2800144  | 2    | Relay, 50 Amp, 12V, SPDT              |
| 29   | 2500463  | 1    | Plug, 3/4" Hole                       |
| 30   | 6010101  | 2    | Edge Trim 8-1/2"                      |
| 31   | 2705006  | 1    | Timer, 12V DC                         |
| 32   | 3201925  | 1    | Grommet, 1/4" I.D.                    |
| 33   | 2900144  | 1    | Cap Screw, Hex Hd., 1/4-20 x 3/4"     |
| 34   | 2900009  | 1    | Flat Washer, 1/4" SAE                 |
| 35   | 2900010  | 1    | Lock Nut, 1/4-20 Nylon                |


## Control Lever Assembly #6010719



| ITEM | PART NO. | QTY. | DESCRIPTION                            |
|------|----------|------|----------------------------------------|
| 1    | 6010056  | 1    | Lever Support Weldment                 |
| 2    | 2501339  | 1    | Rubber Support Mount                   |
| 3    | 2900008  | 2    | Cap Screw, Hex Hd., 1/4-20 x 1"        |
| 4    | 2900010  | 6    | Lock Nut, 1/4-20 Nylon                 |
| 5    | 2900144  | 4    | Cap Screw, Hex Hd., 1/4-20 x 3/4"      |
| 6    | 6010055  | 1    | Friction Spacer                        |
| 7    | 2900018  | 2    | Locknut, 3/8-16, Nylon                 |
| 8    | 6010314  | 1    | Speed Control Lever                    |
| 9    | 2900153  | 3    | Friction Washer, 3/8"                  |
| 10   | 2900473  | 1    | Flat Washer, 3/8" USS                  |
| 11   | 2900474  | 4    | Belleville Washer, 3/8"                |
| 12   | 2900472  | 1    | Cap Screw, Hex Flange Hd., 3/8-16 x 2" |
| 13   | 6010057  | 1    | Engagement Lever Weldment              |
| 14   | 2900014  | 1    | Flat Washer, 3/8" SAE                  |
| 15   | 2900029  | 1    | Cap Screw, Hex Hd., 3/8-16 x 1-1/2"    |
| 16   | 6010058  | 1    | Gate Plate                             |
| 17   | 2500002  | 1    | Lever Grip                             |
| 18   | 6010319  | 1    | Control Grip Assembly                  |




## Control Grip Assembly #6010319



| ITEM | PART NO. | QTY. | DESCRIPTION                        |
|------|----------|------|------------------------------------|
| 1    | 2501280  | 1    | Control Grip Body                  |
| 2    | 2501281  | 1    | Control Grip Cover                 |
| 3    | 2500644  | 1    | Plug, Rectangular                  |
| 4    | 2500694  | 2    | Plug, 5/8" Hole                    |
| 5    | 2800372  | 1    | Pushbutton Switch (B&G)            |
| 6    | 2800373  | 1    | Pushbutton Switch (B&W)            |
| 7    | 2900453  | 1    | Set Screw, Soc. Hd., M5-0.8 x 12mm |
| 8    | 2900452  | 1    | Machine Screw, Oval Hd., #4 x 5/8" |
| 9    | 2800393  | 1    | Harness, Hydraulic Pump            |
| 10   | 2800002  | 3    | Wire Nut, 22-16 Gage               |


## Parking Brake Assembly #6011228



## **Parking Brake Assembly #6011228**


| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6011229  | 1    | Bearing Housing Bar                 |
| 2    | 2501664  | 1    | Ball Bearing, 3/4" x 1-5/8" x 7/16" |
| 3    | 6011230  | 1    | Pivot Pin                           |
| 4    | 6048229  | 1    | Key, 3/16" Sq. x 1-1/4"             |
| 5    | 6011234  | 1    | Friction Disc, 3/4" x 2-1/2" x 3/8" |
| 6    | 6011231  | 1    | Pivot Arm                           |
| 7    | 2900632  | 1    | T-Bolt, 1/2-13                      |
| 8    | 2900037  | 1    | Hex Nut, 1/2-13                     |
| 9    | 2900082  | 1    | Cap Screw, Hex Hd., 1/4-20 x 1/2"   |
| 10   | 2900024  | 1    | Lock Washer, 1/4" Split             |
| 11   | 2900083  | 1    | Fender Washer, 1/4" x 1-1/4"        |
| 12   | 2900196  | 2    | Cap Screw, Hex Hd., 3/8-16 x 3/4"   |
| 13   | 2900006  | 2    | Lock Washer, 3/8" Split             |
| 14   | 2900014  | 2    | Flat Washer, 3/8" SAE               |
| 15   | 6011232  | 1    | Brake Lever                         |
| 16   | 2900005  | 1    | Cap Screw, Hex Hd., 3/8-16 x 1"     |
| 17   | 2900474  | 1    | Belleville Washer, 3/8"             |
| 18   | 2900473  | 1    | Flat Washer, 3/8" USS               |
| 19   | 6011233  | 1    | Lever Gate                          |
| 20   | 2500002  | 1    | Lever Grip                          |
| 21   | 2900019  | 2    | Cap Screw, Hex Hd., 5/16-18 x 3/4"  |
| 22   | 2900022  | 2    | Flat Washer, 5/16" SAE              |
| 23   | 2900039  | 2    | Lock Nut, 5/16-18 Nylon             |
| 24   | 2503783  | 1    | Plug, 9/16" Hole                    |
| 25   | 6010687  | 1    | Frame Upright Weldment              |

## Fuel Tank Assembly #6019100




| ITEM | PART NO. | QTY. | DESCRIPTION                        |
|------|----------|------|------------------------------------|
| 1    | 6019160  | 1    | Fuel Tank                          |
| 2    | 6010257  | 2    | Fuel Tank Mount Bar                |
| 3    | 2900022  | 8    | Flat Washer, 5/16" SAE             |
| 4    | 2900031  | 8    | Lock Washer, 5/16" Split           |
| 5    | 2900019  | 4    | Cap Screw, Hex Hd., 5/16-18 x 3/4" |
| 6    | 2900138  | 4    | Cap Screw, Hex Hd., 5/16-18 x 1"   |
| 7    | 2504786  | 1    | Fuel Tank Cap & Gauge              |
| 8    | 2500205  | 1    | Fuel Tank Grommet                  |
| 9    | 2501777  | 1    | Fuel Valve w/Pick-Up Tube          |
| 10   | 2501215  | 2    | Bushing, Tank (Rubber)             |
| 11   | 2503709  | 1    | Tank Elbow, 3/16" Barb             |
| 12   | 2503963  | 1    | Grommet, Fuel Sender               |
| 13   | 6019395  | 1    | Hole Plug                          |

## Fuel Supply Assembly #6019101



| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6019044  | 1    | Fuel Pump Mount Bar                 |
| 2    | 2705005  | 1    | Electric Fuel Pump                  |
| 3    | 2900161  | 2    | Cap Screw, Soc. Hd., M8-1.25 x 25mm |
| 4    | 2900763  | 2    | Lock Washer, M8 Split               |
| 5    | 2901336  | 2    | Flat Washer, M8                     |
| 6    | 2900553  | 1    | Cap Screw, Soc. Hd., M6-1.0 x 16mm  |
| 7    | 2900765  | 1    | Lock Washer, M6 Split               |
| 8    | 2901494  | 1    | Flat Washer, M6                     |
| 9    | 6010693  | 1    | Fuel Hose, 5/16" I.D. x 30"         |
| 10   | 3200062  | 8    | Hose Clamp #4                       |
| 11   | 2501434  | 1    | Hose Clamp, 5/8" x 3/4" Wide        |
| 12   | 2501785  | 1    | Filter, Diesel Fuel                 |
| 13   | 6019094  | 1    | Fuel Line Hose, 5/16" I.D. x 16"    |
| 14   | 6019146  | 1    | Fuel Hose, 5/16" I.D. x 6"          |
| 15   | 6017045  | 1    | Fuel Return Hose, 3/16" I.D. x 30"  |

## **Battery Assembly #6019102**




## **Battery Assembly #6019102**

| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6010670  | 1    | Battery Platform                    |
| 2    | 6010554  | 1    | Battery Support Brace               |
| 3    | 2900019  | 5    | Cap Screw, Hex Hd., 5/16-18 x 3/4"  |
| 4    | 2900022  | 5    | Flat Washer, 5/16" SAE              |
| 5    | 2900039  | 4    | Lock Nut, 5/16-18 Nylon             |
| 6    | 2900031  | 1    | Lock Washer, 5/16" Split            |
| 7    | 6010017  | 1    | Battery Top Brace                   |
| 8    | 6010344  | 2    | Rod, 1/4-20 x 9-1/2"                |
| 9    | 2900010  | 4    | Lock Nut, 1/4-20 Nylon              |
| 10   | 6010016  | 1    | Battery Pad                         |
| 11   | 2800465  | 1    | Battery, 12 Volt Group Size 24      |
| 12   | 2800082  | 1    | Battery Cable, 48" Positive (Red)   |
| 13   | 2800072  | 1    | Battery Cable, 30" Negative (Black) |
| 14   | 2800095  | 1    | Solenoid Cable, 14" Positive (Red)  |
| 15   | 2800182  | 1    | Ground Cable, 14" Negative (Black)  |
| 16   | 2800256  | 1    | Battery Boot, Large (Red)           |
| 17   | 2800257  | 1    | Battery Boot, Large (Black)         |
| 18   | 2800197  | 2    | Battery Boot, Small (Red)           |
| 19   | 2800198  | 2    | Battery Boot, Small (Black)         |
| 20   | 2900014  | 1    | Flat Washer, 3/8" SAE               |
| 21   | 2900006  | 1    | Lock Washer, 3/8" Split             |
| 22   | 2900196  | 1    | Cap Screw, Hex Hd., 3/8-16 x 3/4"   |
| 23   | 2900321  | 1    | Lock Washer, M10 Split              |
| 24   | 2901021  | 1    | Cap Screw, Hex Hd., M10-1.25 x 20mm |
| 25   | 2900763  | 1    | Lock Washer, M8 Split               |
| 26   | 2900343  | 1    | Hex Nut, M8-1.25                    |

## **Hydraulic Pump Assembly #6010213**


**(Includes Items #1 - #8)**



| ITEM | PART NO. | QTY. | DESCRIPTION                                |
|------|----------|------|--------------------------------------------|
| 1    | 2603370  | 1    | Hydraulic Pump Unit                        |
| 1.1  | 2700321  | 2    | Breather Cap                               |
| 1.2  | 2700243  | 1    | Valve Coil                                 |
| 1.3  | 2700244  | 1    | Valve Stem                                 |
| 1.4  | 2709904  | 1    | Solenoid Start Switch                      |
| 2    | 6063163  | 1    | Ground Wire Assy.                          |
| 3    | 3200120  | 1    | Pipe Coupling, 3/8" NPT                    |
| 4    | 3200123  | 1    | Pipe Nipple, 3/8" NPT x 2"                 |
| 5    | 3200115  | 1    | Elbow, 3/8" O-Ring to 1/4" F. Pipe         |
| 6    | 3200060  | 1    | Hex Nipple, 1/4" NPT                       |
| 7    | 3200056  | 1    | Flow Control Valve                         |
| 8    | 3200057  | 1    | Elbow, 1/4" M. Pipe to 1/4" M. JIC         |
| 9    | 2901595  | 2    | Cap Screw, Hex Flange Hd., 3/8-16 x 1-1/2" |
| 10   | 3200116  | 1    | Elbow, 1/4" O-Ring to 3/8" M. JIC          |
| 11   | 3200046  | 1    | Fitting, 3/8" F. JIC to 3/8" Push Lock     |
| 12   | 6010059  | 1    | Clear Hose, 3/8" I.D. x 19"                |





## Water Supply Assembly #6010718




| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6090069  | 1    | Water Supply Tube                       |
| 2    | 3200045  | 1    | Pipe Tee, 1/2" NPT                      |
| 3    | 3200008  | 2    | Close Nipple, 1/2" NPT                  |
| 4    | 3200022  | 1    | Fitting, 1/2" F. Pipe to 3/4" F. Garden |
| 5    | 3200025  | 1    | Hose Filter Washer                      |
| 6    | 3200013  | 2    | Street Elbow, 1/2" NPT                  |
| 7    | 3200027  | 2    | Water Valve                             |
| 8    | 3200155  | 2    | Fitting, 1/2" M. Pipe to 3/4" M. Garden |
| 9    | 6010021  | 1    | Water Hose Assembly 42"                 |
| 10   | 3200001  | 1    | Plug, 1/8" NPT                          |
| 11   | 2900241  | 2    | U-Bolt, 1/2" Pipe                       |
| 12   | 2900009  | 4    | Flat Washer, 1/4" SAE                   |
| 13   | 2900010  | 4    | Lock Nut, 1/4-20 Nylon                  |
| 14   | 6011547  | 2    | Rubber Cushion                          |
| 15   | 2400169  | 1    | Knob Gasket                             |

## Depth Indicator Assembly #6010214




| ITEM | PART NO. | QTY. | DESCRIPTION                           |
|------|----------|------|---------------------------------------|
| 1    | 6010092  | 1    | Depth Indicator Mount Bracket         |
| 2    | 2500155  | 2    | Cable Pulley, 1-1/4"                  |
| 3    | 2900008  | 2    | Cap Screw, Hex Hd., 1/4-20 x 1"       |
| 4    | 2900010  | 4    | Lock Nut, 1/4-20 Nylon                |
| 5    | 2900144  | 2    | Cap Screw, Hex Hd., 1/4-20 x 3/4"     |
| 6    | 2500145  | 1    | Flange Bearing, 3/8"                  |
| 7    | 2901383  | 1    | Friction Washer, 3/8"                 |
| 8    | 6010091  | 1    | Depth Indicator Pointer               |
| 9    | 2900079  | 1    | Cap Screw, Hex Hd., 3/8-16 x 2-1/4"   |
| 10   | 2900014  | 2    | Flat Washer, 3/8" SAE                 |
| 11   | 6010093  | 1    | Cable Pulley, 2"                      |
| 12   | 2900254  | 1    | Lock Washer, 3/8" Internal Tooth      |
| 13   | 2900018  | 1    | Lock Nut, 3/8-16 Nylon                |
| 14   | 6010094  | 1    | Depth Indicator Cable with Crimp, 48" |
| 15   | 2500196  | 1    | Spring, 3/8" x 15"                    |
| 16   | 2900055  | 1    | Cotter Pin, 3/16" x 1"                |
| 17   | 2500214  | 1    | Cable Clamp                           |

## Depth Stop Assembly #6010215




| ITEM | PART NO. | QTY. | DESCRIPTION                    |
|------|----------|------|--------------------------------|
| 1    | 6010097  | 1    | Depth Stop Weldment            |
| 2    | 2900665  | 4    | Belleville Washer, 1/2"        |
| 3    | 2900058  | 1    | Flat Washer, 1/2" SAE          |
| 4    | 2900239  | 1    | Friction Washer, 1/2"          |
| 5    | 6010095  | 1    | Depth Stop Knob                |
| 6    | 2900132  | 1    | Roll Pin, 3/16" x 1-1/4"       |
| 7    | 2900158  | 1    | Yoke, 1/2-13                   |
| 8    | 2900084  | 1    | Lock Washer, 1/2" Split        |
| 9    | 2900037  | 1    | Hex Nut, 1/2-13                |
| 10   | 2900007  | 1    | Clevis Pin, 1/2" Dia. x 1-3/8" |
| 11   | 2900004  | 1    | Cotter Pin, 1/8" x 1"          |

## **Air Cleaner Assembly #6019016**




| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 2503852  | 1    | Air Cleaner Complete                 |
|      | 2501386  | 1    | Outer Primary Filter                 |
|      | 2501387  | 1    | Inner Safety Filter                  |
|      | 2500239  | 1    | Rubber Dust Ejector Boot             |
| 2    | 2501388  | 1    | Pre-Cleaner with Clamp               |
|      | 3200197  | 1    | Hose Clamp #52                       |
| 3    | 2500423  | 1    | Restriction Indicator                |
| 4    | 3200117  | 1    | Close Nipple, 1/8" NPT               |
| 5    | 3200099  | 1    | Street Elbow, 1/8" NPT x 45 Deg.     |
| 6    | 2501385  | 1    | Mounting Band, Polymer               |
| 7    | 6010325  | 1    | Air Cleaner Mount Spacer             |
| 8    | 2900138  | 1    | Cap Screw, Hex Hd., 5/16-18 x 1"     |
| 9    | 2900022  | 5    | Flat Washer, 5/16" SAE               |
| 10   | 2900039  | 4    | Lock Nut, 5/16-18 Nylon              |
| 11   | 2900217  | 1    | Cap Screw, Hex Hd., 5/16-18 x 1-1/4" |
| 12   | 2900508  | 1    | Cap Screw, Hex Hd., 5/16-18 x 1-1/2" |
| 13   | 2900538  | 1    | Cap Screw, Hex Hd., 5/16-18 x 1-3/4" |
| 14   | 6019096  | 1    | Flex Hose, 3" I.D. x 16"             |
| 15   | 3202098  | 2    | T-Bolt Clamp, 3-1/2"                 |
| 16   | 6010052  | 1    | Connector Tube, 2-1/2" O.D.          |
| 17   | 2500232  | 1    | Hose Elbow, 2-1/2" I.D.              |
| 18   | 3200096  | 1    | Hose Clamp #40                       |

## Coolant Tank Assembly #6019009



| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 2503716  | 1    | Coolant Recovery Tank & Cap             |
| 2    | 2900144  | 1    | Cap Screw, Hex Hd., 1/4-20 x 3/4"       |
| 3    | 2900024  | 1    | Lock Washer, 1/4" Split                 |
| 4    | 2900009  | 1    | Flat Washer, 1/4" SAE                   |
| 5    | 3200062  | 2    | Hose Clamp #4                           |
| 6    | 6019095  | 1    | Hose, 1/4" I.D. x 42" Long              |
| 7    | 3200018  | 1    | Fitting, 1/8" M. Pipe to 1/4" Hose Barb |
| 8    | 3201729  | 1    | Hose Clamp, 1" x 3/4" Wide              |
| 9    | 2900868  | 1    | Cap Screw, Hex Hd., M8-1.25 x 16mm      |
| 10   | 2900763  | 1    | Lock Washer, M8 Split                   |
| 11   | 2901336  | 1    | Flat Washer, M8                         |


## Frame Base Assembly #6019000



## **Frame Base Assembly #6019000**

| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6019020  | 1    | Frame Base                          |
| 2    | 6010681  | 2    | Skid Plate                          |
| 3    | 6010973  | 1    | Guard Attachment Plate              |
| 4    | 2900058  | 4    | Flat Washer, 1/2" SAE               |
| 5    | 2900084  | 7    | Lock Washer, 1/2" Split             |
| 6    | 2900086  | 1    | Cap Screw, Hex Hd., 1/2-13 x 1"     |
| 7    | 2900499  | 4    | Cap Screw, Hex Hd., 1/2-13 x 1-1/2" |
| 8    | 2900139  | 2    | Cap Screw, Hex Hd., 1/2-13 x 1-3/4" |
| 9    | 6019021  | 1    | Engine Guide                        |
| 10   | 2900127  | 3    | Flat Washer, 1/2" USS               |
| 11   | 6010683  | 2    | Rear Pointer Rod                    |
| 12   | 2900013  | 4    | Cap Screw, Hex Hd., 3/8-16 x 1-1/4" |
| 13   | 2900033  | 4    | Hex Nut, 3/8-16                     |
| 14   | 6019022  | 2    | Engine Slide Bar                    |
| 15   | 2900174  | 8    | Cap Screw, Flat Hd., 5/16-18 x 1"   |
| 16   | 6019099  | 1    | Air Shield                          |
| 17   | 2504455  | 1    | Grommet, 1" I.D.                    |
| 18   | 6019115  | 1    | Edge Trim Seal 20"                  |
| 19   | 2900512  | 1    | Cap Screw, Hex Hd., 5/8-11 x 1-1/4" |
| 20   | 2900113  | 1    | Lock Washer, 5/8" Split             |
| 21   | 2900002  | 1    | Flat Washer, 5/8" SAE               |
| 22   | 2504368  | 1    | Tie Down                            |
| 23   | 2900018  | 2    | Lock Nut, 3/8-16 Nylon              |
| 24   | 2900005  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1"     |
| 25   | 6010645  | 1    | Shaft/Flange Guard (Wide)           |
| 26   | 2900156  | 1    | Lock Pin with Ring                  |

## Rear Drive Assembly #6013178






## **Rear Drive Assembly #6013178**


| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 6010068  | 1    | Transmission Platform Weldment       |
| 2    | 6010027  | 1    | Mount Foot, Right Hand               |
| 3    | 6010028  | 1    | Mount Foot, Adjustable               |
| 4    | 2500159  | 2    | Pillow Block Bearing, 3/4"           |
| 5    | 2900005  | 4    | Cap Screw, Hex Hd., 3/8-16 x 1"      |
| 6    | 2900006  | 4    | Lock Washer, 3/8" Split              |
| 7    | 6010664  | 1    | Transmission Jackshaft 18T           |
| 8    | 6048229  | 1    | Key, 3/16" Sq. x 1-1/4"              |
| 9    | 2500148  | 1    | Sprocket, #40 x 45 Tooth             |
| 10   | 2500149  | 1    | QD Bushing, SDS x 3/4" w/Fasteners   |
| 11   | 6010069  | 1    | Chain, #40 x 56 Pitch                |
| 12   | 6010671  | 1    | Chain Guard                          |
| 13   | 2900009  | 9    | Flat Washer, 1/4" SAE                |
| 14   | 2900024  | 5    | Lock Washer, 1/4" Split              |
| 15   | 2900023  | 5    | Cap Screw, Hex Hd., 1/4-20 x 5/8"    |
| 16   | 6010679  | 1    | Gear Guard                           |
| 17   | 6010674  | 1    | Sprocket Guard                       |
| 18   | 2900668  | 2    | Cap Screw, Hex Hd., 5/16-18 x 7/8"   |
| 19   | 2900022  | 2    | Flat Washer, 5/16" SAE               |
| 20   | 2900039  | 2    | Lock Nut, 5/16-18 Nylon              |
| 21   | 2900140  | 1    | Set Screw, Sq. Hd., 5/16-18 x 1-1/2" |
| 22   | 2900141  | 1    | Hex Nut, 5/16-18                     |
| 23   | 2900106  | 2    | Cap Screw, Hex Hd., 1/2-13 x 2"      |
| 24   | 2900058  | 8    | Flat Washer, 1/2" SAE                |
| 25   | 2900026  | 3    | Lock Nut, 1/2-13 Nylon               |
| 26   | 2900542  | 1    | Tap Bolt, Hex Hd., 1/2-13 x 3-1/2"   |
| 27   | 6010673  | 1    | Fan Guard                            |
| 28   | 6010735  | 1    | Spacer, Fan Guard                    |
| 29   | 2900052  | 2    | Cap Screw, Hex Hd., 1/4-20 x 1-1/4"  |
| 30   | 2900010  | 2    | Lock Nut, 1/4-20 Nylon               |
| 31   | 6011678  | 1    | Eaton 11 Transmission Assembly       |
| 32   | 6010725  | 1    | Linkage Assembly                     |

## Eaton Transmission Assembly #6011678




| ITEM | PART NO. | QTY. | DESCRIPTION                           |
|------|----------|------|---------------------------------------|
| 1    | 2600720  | 1    | Eaton Model 11 Transmission           |
| 2    | 3200271  | 2    | Elbow, 3/8" O-Ring to 3/8" M. JIC     |
| 3    | 3200287  | 1    | Adapter, 5/8" O-Ring to 1/2" M. JIC   |
| 4    | 3200304  | 1    | Elbow, 1/2" M. JIC to 1/2" F. JIC     |
| 5    | 3201878  | 1    | Tee, 1/2" M. JIC to 5/8" O-Ring       |
| 6    | 3200116  | 1    | Elbow, 1/4" O-Ring to 3/8" M. JIC     |
| 7    | 6012250  | 1    | Hose Assembly 3/8" x 10"              |
| 8    | 6012251  | 1    | Hose Assembly 1/2" x 16"              |
| 9    | 6012252  | 1    | Hose Assembly 3/8" x 26"              |
| 10   | 2900143  | 1    | Woodruff Key #61, 3/16" x 5/8"        |
| 11   | 2900063  | 1    | Woodruff Key #405, 1/8" x 5/8"        |
| 12   | 2500150  | 1    | Sprocket, #40 x 11 Tooth w/Setscrews  |
| 13   | 2900083  | 1    | Fender Washer, 1/4" x 1-1/4"          |
| 14   | 2900024  | 1    | Lock Washer, 1/4" Split               |
| 15   | 2900082  | 1    | Cap Screw, Hex Hd., 1/4-20 x 1/2"     |
| 16   | 6010064  | 1    | Shift Lever                           |
| 17   | 2900058  | 1    | Flat Washer, 1/2" SAE                 |
| 18   | 2900026  | 1    | Lock Nut, 1/2-13 Nylon                |
| 19   | 6010682  | 1    | Transmission Pulley 5.5"              |
| 20   | 2500519  | 1    | Cooling Fan, 7"                       |
| 21   | 2900038  | 4    | Lock Washer, #10 Split                |
| 22   | 2900448  | 4    | Machine Screw, Hex Hd., #10-32 x 1/2" |
| 23   | 2900567  | 1    | Flat Washer, 5/16" USS                |
| 24   | 2900031  | 1    | Lock Washer, 5/16" Split              |
| 25   | 2900019  | 1    | Cap Screw, Hex Hd., 5/16-18 x 3/4"    |
| 26   | 2900035  | 4    | Cap Screw, Hex Hd., 3/8-16 x 3"       |
| 27   | 2900473  | 4    | Flat Washer, 3/8" USS                 |
| 28   | 2900018  | 4    | Locknut, 3/8-16, Nylon                |

## Linkage Assembly #6010725




| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6010067  | 1    | Bell Crank                          |
| 2    | 2900153  | 2    | Friction Washer, 3/8"               |
| 3    | 2900029  | 6    | Cap Screw, Hex Hd., 3/8-16 x 1-1/2" |
| 4    | 2900014  | 14   | Flat Washer, 3/8" SAE               |
| 5    | 2900018  | 7    | Lock Nut, 3/8-16 Nylon              |
| 6    | 2900047  | 1    | Cap Screw, Hex Hd., 3/8-16 x 1-3/4" |
| 7    | 2900006  | 1    | Lock Washer, 3/8" Split             |
| 8    | 2900033  | 1    | Hex Nut, 3/8-16                     |
| 9    | 6010704  | 1    | Linkage Assembly 5-1/8"             |
| 10   | 6010705  | 1    | Linkage Assembly 6-1/4"             |
| 11   | 6010706  | 1    | Linkage Assembly 8"                 |

## Rear Axle Assembly #6010743




| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6010686  | 1    | Rear Axle Weldment w/60 Tooth Gear  |
| 2    | 2500873  | 2    | Wheel, 10" Rear with 2" Bore        |
| 3    | 2500874  | 2    | Trantorque Bushing, 1-1/4"          |
| 4    | 2500158  | 2    | Pillow Block Bearing 1-1/4"         |
| 5    | 6010024  | 2    | Rear Axle Bearing Spacer, 1/8"      |
| 6    | 2900058  | 4    | Flat Washer, 1/2" SAE               |
| 7    | 2900084  | 4    | Lock Washer, 1/2" Split             |
| 8    | 2900139  | 4    | Cap Screw, Hex Hd., 1/2-13 x 1-3/4" |

## Hydraulic Cylinder Assembly #6010714




| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 2500177  | 1    | Hydraulic Cylinder                  |
| 2    | 6010031  | 1    | Cylinder Pin, 1" Dia. x 3" Long     |
| 3    | 6010119  | 1    | Cylinder Pin, 1" Dia. x 3-1/2" Long |
| 4    | 2900064  | 4    | Hair Pin Cotter, 3/4"               |
| 5    | 3200067  | 1    | Breather Vent, 1/4" NPT             |
| 6    | 3200057  | 1    | Elbow, 1/4" M. Pipe to 1/4" M. JIC  |
| 7    | 3200054  | 1    | Hose Assembly, 32" Long             |

## Front Axle Assembly #6010746




| ITEM | PART NO. | QTY. | DESCRIPTION                           |
|------|----------|------|---------------------------------------|
| 1    | 6010747  | 1    | Front Axle Weldment                   |
| 2    | 6010581  | 2    | Wheel Assembly, 8" Front              |
| 3    | 2501393  | 2    | Wheel Cover Gasket                    |
| 4    | 6010536  | 2    | Wheel Cover                           |
| 5    | 2900038  | 8    | Lock Washer, #10 Split                |
| 6    | 2900159  | 8    | Machine Screw, Rd. Hd., #10-24 x 5/8" |
| 7    | 2900127  | 2    | Flat Washer, 1/2" USS                 |
| 8    | 2900084  | 6    | Lock Washer, 1/2" Split               |
| 9    | 2900025  | 6    | Cap Screw, Hex Hd., 1/2-13 x 1-1/4"   |
| 10   | 2900058  | 4    | Flat Washer, 1/2" SAE                 |
| 11   | 2500158  | 2    | Pillow Block Bearing 1-1/4"           |
| 12   | 2900184  | 1    | Grease Fitting, 1/4" NPT x 45 degree  |

## **Front Wheel Assembly #6010581**



| ITEM | PART NO. | QTY. | DESCRIPTION                  |
|------|----------|------|------------------------------|
| 1    | 2501390  | 1    | Wheel, 8" Front              |
| 2    | 2501428  | 1    | Seal, 1-1/2" V-Ring          |
| 3    | 2501391  | 1    | Seal, 1-1/4" x 1-3/4" x 1/4" |
| 4    | 2501418  | 4    | Ball Bearing, 1" x 2" x 1/2" |
| 5    | 2501392  | 1    | Retaining Ring, 2" Internal  |

## Blade Shaft Assembly #6019012






## **Blade Shaft Assembly #6019012**

**#6019012A for 14" - 26" Blades**

**#6019012C for 30" - 42" Blades**


| ITEM | PART NO. | 6019012A/<br>QTY. | 6019012C/<br>QTY. | DESCRIPTION                               |
|------|----------|-------------------|-------------------|-------------------------------------------|
| 1    | 6011660  | 1                 | 1                 | Blade Shaft Housing                       |
| 2    | 6010797  | 1                 | 1                 | Blade Shaft                               |
| 3    | 2502197  | 4                 | 4                 | Ball Bearing, 45mm x 85mm x 19mm          |
| 4    | 6010040  | 2                 | 2                 | Key, 1/4" Sq. x 15/16"                    |
| 5    | 4645006  | 1                 | 1                 | Key, 3/8" Sq. x 4"                        |
| 6    | 6010798  | 1                 | 1                 | Shaft Tach Gear, 60 Tooth                 |
| 7    | 2900142  | 2                 | 2                 | Set Screw, Soc. Hd., 5/16-18 x 3/8"       |
| 8    | 2900418  | 2                 | 2                 | Set Screw, Soc. Hd., 5/16-18 x 5/8"       |
| 9    | 2900136  | 4                 | 4                 | Cap Screw, Hex Hd., 5/8-11 x 2"           |
| 10   | 2900113  | 4                 | 4                 | Lock Washer, 5/8" Split                   |
| 11   | 2900002  | 4                 | 4                 | Flat Washer, 5/8" SAE                     |
| 12   | 2800169  | 1                 | 1                 | Magnetic Speed Sensor                     |
| 13   | 2900805  | 1                 | 1                 | Sealing Washer, 5/8"                      |
| 14   | 2502037  | 1                 | 1                 | Magnetic Oil Drain Plug                   |
| 15   | 3202093  | 1                 | 1                 | Adapter, 3/8" M. Pipe to 1/2" M. JIC Long |
| 16   | 2503872  | 1                 | 1                 | Sight Glass, Oil Level                    |
| 17   | 2900146  | 1                 | 1                 | Cap Screw, Hex Hd., 5/8-11 x 4"           |
| 18   | 2900412  | 1                 | 1                 | Wedge Lock Washer Pair, 5/8"              |
| 19   | 2900130  | 1                 | 1                 | Cap Screw, Hex Hd., 5/8-11 x 4" LH        |
| 20   | 2901569  | 1                 | 1                 | Wedge Lock Washer Pair, 5/8" LH           |
| 21   | 6011654  | 2                 | 2                 | Blade Shaft End Cap                       |
| 22   | 2504836  | 2                 | 2                 | Seal Sleeve                               |
| 23   | 6011656  | 1                 | 1                 | Shim Pack                                 |
| 24   | 2504749  | 4                 | 4                 | Seal 50X62X5                              |
| 25   | 2504835  | 2                 | 2                 | Axial Face Seal                           |
| 26   | 2504978  | 2                 | 2                 | Quad Ring -234                            |
| 27   | 2901173  | 8                 | 8                 | Cap Screw, Soc. Hd., 1/4-20 x 5/8"        |
| 28   | 6010036  | 2                 | -                 | Inner Flange 4-1/2"                       |
| 29   | 6010037  | 2                 | -                 | Outer Flange 4-1/2" with Pin              |
| 30   | 6010038  | -                 | 2                 | Inner Flange 6"                           |
| 31   | 6010039  | -                 | 2                 | Outer Flange 6" with Pin                  |
| 32   | 6016018  | 1                 | 1                 | Cover Plate Weldment                      |
| 33   | 2504838  | 1                 | 1                 | AS568-015                                 |
| 34   | 2900544  | 1                 | 1                 | Cap Screw, Hex Hd., M6-1.0 x 12mm         |
| 35   | 2901494  | 1                 | 1                 | Flat Washer, M6                           |
| 36   | 2900765  | 1                 | 1                 | Lock Washer, M6 Split                     |

## Expansion Tank Assembly #6019103




| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 2502039  | 1    | Expansion Tank & Cap                 |
| 2    | 2900144  | 2    | Cap Screw, Hex Hd., 1/4-20 x 3/4"    |
| 3    | 2900009  | 2    | Flat Washer, 1/4" SAE                |
| 4    | 2900010  | 2    | Lock Nut, 1/4-20 Nylon               |
| 5    | 6010794  | 1    | Hose, 1/2" ID x 60"                  |
| 6    | 3200016  | 1    | Hose Clamp #8                        |
| 7    | 3200181  | 1    | Fitting, 1/2" F. JIC to 1/2" Pushlok |
| 8    | 3201729  | 1    | Hose Clamp, 1" x 3/4" Wide           |
| 9    | 2900005  | 1    | Cap Screw, Hex Hd., 3/8-16 x 1"      |
| 10   | 2900014  | 1    | Flat Washer, 3/8" SAE                |
| 11   | 2900018  | 1    | Lock Nut, 3/8-16 Nylon               |

## **Frame Lift Assembly #6010731**




| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6013051  | 1    | Frame Lift                          |
| 2    | 6013053  | 2    | Frame Lift Spacer                   |
| 3    | 6010689  | 2    | Frame Lift Brace                    |
| 4    | 2900465  | 2    | Cap Screw, Hex Hd., 3/4-10 x 2-1/4" |
| 5    | 2900003  | 2    | Flat Washer, 3/4" SAE               |
| 6    | 2900467  | 2    | Lock Nut, 3/4-10 Nylon              |
| 7    | 2900013  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1-1/4" |
| 8    | 2900005  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1"     |
| 9    | 2900018  | 4    | Lock Nut, 3/8-16 Nylon              |

## **Belt Tensioner Assembly #6019011**



| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6019027  | 1    | Lead Screw Mounting Block           |
| 2    | 6019073  | 1    | Lead Screw                          |
| 3    | 2901565  | 2    | Thrust Washer, 3/4"                 |
| 4    | 6019074  | 1    | Lead Screw Lock Nut                 |
| 5    | 2900131  | 1    | Set Screw, Soc. Hd., 3/8-16 x 3/8"  |
| 6    | 6048036  | 1    | Bellows                             |
| 7    | 3202142  | 1    | Hose Clamp #24                      |
| 8    | 6019026  | 1    | Lead Screw Adjustment Bar           |
| 9    | 2900147  | 2    | Cap Screw, Hex Hd., 5/8-11 x 1-3/4" |
| 10   | 2900113  | 2    | Lock Washer, 5/8" Split             |
| 11   | 6019028  | 1    | Bellows Mount Flange                |
| 12   | 2900342  | 2    | Cap Screw, Hex Hd., M6-1.0 x 30mm   |
| 13   | 2900302  | 2    | Lock Nut, M6-1.0 Nylon Insert       |
| 14   | 2900025  | 2    | Cap Screw, Hex Hd., 1/2-13 x 1-1/4" |
| 15   | 2900084  | 2    | Lock Washer, 1/2" Split             |
| 16   | 2900058  | 2    | Flat Washer, 1/2" SAE               |

## Belt Drive Assembly #6019013



### 14" BLADE DRIVE #6019013A

| ITEM | PART NO. | QTY. | DESCRIPTION                        |
|------|----------|------|------------------------------------|
| 1    | 6010658  | 1    | Sheave, 4" x 10 Groove w/Bushing   |
|      | 2501380  | 1    | Sheave, 4" x 10 Groove Taper Style |
|      | 2501410  | 1    | Taper Bushing, 1-3/4" w/Setscrews  |
| 2    | 2503849  | 10   | V-Belt, 3VX570                     |
| 3    | 2500792  | 1    | V-Belt, 3VX400                     |
| 4    | 2503679  | 1    | V-Belt, AX37                       |


### 20" & 26" BLADE DRIVE #6019013B

| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 6010545  | 1    | Sheave, 4.5" x 10 Groove w/Bushing   |
|      | 2501381  | 1    | Sheave, 4.5" x 10 Groove Taper Style |
|      | 2501410  | 1    | Taper Bushing, 1-3/4" w/Setscrews    |
| 2    | 2503683  | 10   | V-Belt, 3VX580                       |
| 3    | 2500792  | 1    | V-Belt, 3VX400                       |
| 4    | 2503679  | 1    | V-Belt, AX37                         |

### 30" TO 42" BLADE DRIVE #6019013C

| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6013046  | 1    | Sheave, 6" x 10 Groove w/Bushing    |
|      | 2500439  | 1    | Sheave, 6" x 10 Groove QD Style     |
|      | 2500176  | 1    | QD Bushing, SK x 1-3/4" w/Fasteners |
| 2    | 2503684  | 10   | V-Belt, 3VX600                      |
| 3    | 2500792  | 1    | V-Belt, 3VX400                      |
| 4    | 2503679  | 1    | V-Belt, AX37                        |

## Engine Assembly #6019001




## **Engine Assembly #6019001**

| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 2600699  | 1    | Engine, Kubota Model V2607          |
| 2    | 6019023  | 1    | Engine Support, Front               |
| 3    | 6019024  | 1    | Engine Support, Rear                |
| 4    | 6019025  | 2    | Engine Rail                         |
| 5    | 2900746  | 19   | Cap Screw, Hex Hd., M12-1.25 x 30mm |
| 6    | 2900699  | 21   | Lock Washer, M12 Split              |
| 7    | 2901357  | 21   | Flat Washer, M12                    |
| 8    | 2900136  | 5    | Cap Screw, Hex Hd., 5/8-11 x 2"     |
| 9    | 2900113  | 6    | Lock Washer, 5/8" Split             |
| 10   | 2901562  | 1    | Bolt, Hex Head, 5/8-11 x 16"        |
| 11   | 2900721  | 2    | Flat Washer, 5/8" USS Hardened      |
| 12   | 2901563  | 1    | T-Nut, 5/8-11                       |
| 13   | 2900341  | 4    | Cap Screw, Hex Hd., M6-1.0 x 16mm   |
| 14   | 2900765  | 4    | Lock Washer, M6 Split               |
| 15   | 2901359  | 4    | Fender Washer, M6                   |
| 16   | 6019079  | 1    | Belt Guard, Engine                  |
| 17   | 2500554  | 1    | Plug, 1-1/2" Hole                   |
| 18   | 2900886  | 1    | Cap Screw, Hex Hd., M12-1.25 x 60mm |
| 19   | 2900881  | 1    | Cap Screw, Hex Hd., M12-1.25 x 90mm |
| 20   | 6019085  | 1    | Spacer, 1-3/8" long                 |
| 21   | 6019097  | 1    | Spacer, 2-1/2" long                 |
| 22   | 6019034  | 1    | Radiator Arm, Lower                 |
| 23   | 6019035  | 1    | Radiator Arm, Upper                 |
| 24   | 2501434  | 1    | Hose Clamp, 5/8" x 3/4" Wide        |
| 25   | 2900303  | 1    | Lock Nut, M8-1.25 Nylon Insert      |
| 26   | 6019036  | 1    | Radiator Arm, Upper Bent            |
| 27   | 2900329  | 2    | Cap Screw, Hex Hd., M8-1.25 x 20mm  |
| 28   | 2900763  | 2    | Lock Washer, M8 Split               |
| 29   | 2901336  | 2    | Flat Washer, M8                     |
| 30   | 6019037  | 1    | Radiator Arm, Lower Bent            |
| 31   | 3202096  | 1    | Adapter, 1/2" NPT (M to F)          |
| 32   | 2800624  | 1    | Water Temperature Sender            |
| 33   | 6019089  | 1    | Oil Drain Valve Assembly            |

| ITEM | PART NO. | QTY. | DESCRIPTION                       |
|------|----------|------|-----------------------------------|
| 34   | 3200813  | 1    | Oil Drain Valve, M22x1.5          |
| 35   | 3200016  | 1    | Hose Clamp #8                     |
| 36   | 6019086  | 1    | Oil Drain Hose, 5/8" I.D. x 17"   |
| 37   | 3201728  | 1    | Hose Plug                         |
| 38   | 3201729  | 1    | Hose Clamp, 1" x 3/4" Wide        |
| 39   | 2900196  | 1    | Cap Screw, Hex Hd., 3/8-16 x 3/4" |
| 40   | 2900006  | 1    | Lock Washer, 3/8" Split           |
| 41   | 2900014  | 1    | Flat Washer, 3/8" SAE             |

**PTO Assembly #6019002**






## **PTO Assembly #6019002**

| ITEM | PART NO. | QTY. | DESCRIPTION                           |
|------|----------|------|---------------------------------------|
| 1    | 6019061  | 1    | Inner Ring Support                    |
| 2    | 2901394  | 12   | Flange Bolt, Hex Hd., M10-1.25 x 20mm |
| 3    | 6019141  | 1    | Coupling Hub                          |
| 4    | 2900882  | 7    | Cap Screw, Soc. Hd., M12-1.25 x 100mm |
| 5    | 6019019  | 1    | PTO Unit                              |

| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 6    | 6019062  | 1    | Shaft Support Sleeve                |
| 7    | 2503666  | 1    | Seal, 1-3/8" x 2" x 5/16"           |
| 8    | 2900912  | 15   | Cap Screw, Soc. Hd., 5/16-18 x 3/4" |
| 9    | 2503758  | 1    | Retaining Ring, 45mm External       |
| 10   | 6019064  | 1    | Splined Drive Shaft                 |
| 11   | 2900062  | 1    | Grease Fitting, 1/8" NPT            |
| 12   | 3201998  | 1    | Breather Vent, 1/8" NPT             |
| 13   | 6019090  | 1    | Sheave Assembly                     |


| ITEM | PART NO. | QTY. | DESCRIPTION                       |
|------|----------|------|-----------------------------------|
| 14   | 6019063  | 1    | Sheave, 4" x 11 Groove            |
| 15   | 2503760  | 3    | Ball Bearing, 45 x 75 x 16 open   |
| 16   | 6019066  | 1    | Bearing Spacer, 75 x 12           |
| 17   | 2503759  | 1    | Ball Bearing, 45 x 75 x 16 w/seal |
| 18   | 2503757  | 1    | Retaining Ring, 75mm Internal     |
| 19   | 2503756  | 1    | Seal, 80mm V-Ring                 |

## Rotary Tensioner Assembly #6019003




| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 2501750  | 1    | Rotary Tensioner                    |
| 2    | 6019067  | 1    | Rotary Tensioner Shim               |
| 3    | 2501751  | 1    | Idler Pulley 4"                     |
| 4    | 2900288  | 1    | Cap Screw, Button Hd., 1/2-13 x 2"  |
| 5    | 2900058  | 2    | Flat Washer, 1/2" SAE               |
| 6    | 2900543  | 1    | Jam Lock Nut, 1/2-13                |
| 7    | 2501754  | 1    | Knob, 1/2-13 Tapered                |
| 8    | 2900400  | 1    | Cap Screw, Hex Hd., 1/2-13 x 3-3/4" |
| 9    | 2900026  | 1    | Lock Nut, 1/2-13 Nylon              |
| 10   | 2900587  | 1    | Shoulder Screw, 1/2" x 1" (3/8-16)  |

## Transmission Jackshaft Assembly #6019004




| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 6010667  | 1    | Jackshaft Pivot Housing              |
| 2    | 6010666  | 1    | Idler Jackshaft                      |
| 3    | 2501743  | 5    | Ball Bearing, 20mm x 42mm x 12mm     |
| 4    | 2501748  | 4    | Retaining Ring, 42mm Internal        |
| 5    | 6048229  | 2    | Key, 3/16" Sq. x 1-1/4"              |
| 6    | 2500455  | 1    | Pulley, 4" with Setscrews            |
| 7    | 2504693  | 1    | Sheave, 3.65-2 Groove                |
| 8    | 2501191  | 1    | Taper Bushing, 3/4" w/Setscrews      |
| 9    | 2901372  | 1    | Shoulder Bolt, 20mm x 50mm (M16-2.0) |
| 10   | 2900003  | 1    | Flat Washer, 3/4" SAE                |
| 11   | 6010685  | 1    | Bearing Spacer, 1/4"                 |
| 12   | 2900670  | 1    | Lock Nut, M16-2.0 Nylon Insert       |
| 13   | 6019029  | 1    | Jackshaft Mount                      |
| 14   | 2900746  | 4    | Cap Screw, Hex Hd., M12-1.25 x 30mm  |
| 15   | 2900699  | 4    | Lock Washer, M12 Split               |
| 16   | 2901357  | 4    | Flat Washer, M12                     |

## Muffler Assembly #6019018




| ITEM | PART NO. | QTY. | DESCRIPTION                        |
|------|----------|------|------------------------------------|
| 1    | 2503673  | 1    | Exhaust Flange & Pipe              |
| 2    | 2503674  | 1    | Exhaust Flange Gasket              |
| 3    | 2900763  | 6    | Lock Washer, M8 Split              |
| 4    | 2900343  | 4    | Hex Nut, M8-1.25                   |
| 5    | 2700748  | 1    | Muffler Clamp 2"                   |
| 6    | 2504573  | 1    | Muffler                            |
| 7    | 2503777  | 1    | Muffler Body Band Clamp            |
| 8    | 6019080  | 1    | Muffler Support Screen             |
| 9    | 2900005  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1"    |
| 10   | 2900014  | 4    | Flat Washer, 3/8" SAE              |
| 11   | 2900006  | 2    | Lock Washer, 3/8" Split            |
| 12   | 2900033  | 2    | Hex Nut, 3/8-16                    |
| 13   | 2900329  | 2    | Cap Screw, Hex Hd., M8-1.25 x 20mm |
| 14   | 2901336  | 2    | Flat Washer, M8                    |

## Clutch Fan Drive Assembly #6019169A



| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6019176  | 1    | Right Angle Drive Assembly              |
| 2    | 2504585  | 1    | Fan Clutch                              |
| 3    | 2901575  | 1    | Wedge Lock Washer Pair, M10             |
| 4    | 2901506  | 1    | Cap Screw, Soc. Hd., M10-1.5 x 50mm     |
| 5    | 6019143  | 1    | Cooling Fan, 17"                        |
| 6    | 2900553  | 3    | Cap Screw, Soc. Hd., M6-1.0 x 16mm      |
| 7    | 6019038  | 1    | Fan Drive Brace                         |
| 8    | 2900746  | 2    | Cap Screw, Hex Hd., M12-1.25 x 30mm     |
| 9    | 2900699  | 2    | Lock Washer, M12 Split                  |
| 10   | 2901357  | 2    | Flat Washer, M12                        |
| 11   | 2900868  | 1    | Cap Screw, Hex Hd., M8-1.25 x 16mm      |
| 12   | 2900763  | 1    | Lock Washer, M8 Split                   |
| 13   | 2900383  | 1    | Fender Washer, M8                       |
| 14   | 3200156  | 1    | Street Elbow, 1/8" NPT                  |
| 15   | 3200018  | 2    | Fitting, 1/8" M. Pipe to 1/4" Hose Barb |
| 16   | 6019093  | 2    | Hose, 1/4" I.D. x 5-1/2" Long           |
| 17   | 3200062  | 4    | Hose Clamp #4                           |
| 18   | 2501785  | 1    | Filter, Diesel Fuel                     |
| 19   | 3202099  | 1    | Adapter, 1/8" M. BSPT to 1/8" F. Pipe   |
| 20   | 2503897  | 1    | O-Ring, AS568A-152 Viton                |
| 21   | 2901398  | 2    | Hex Flange Nut, M10-1.25                |


**Radiator Assembly #6019008**



## **Radiator Assembly #6019008**

| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 2503664  | 1    | Radiator                             |
| 2    | 2502381  | 1    | Radiator Cap                         |
| 3    | 3202088  | 1    | Radiator Hose, Upper                 |
| 4    | 3202089  | 1    | Radiator Hose, Lower                 |
| 5    | 6019121  | 1    | Hose Sleeving, 6" Long               |
| 6    | 3202142  | 4    | Hose Clamp #24                       |
| 7    | 3200035  | 1    | Petcock, 1/4" NPT                    |
| 8    | 2900019  | 11   | Cap Screw, Hex Hd., 5/16-18 x 3/4"   |
| 9    | 2900031  | 11   | Lock Washer, 5/16" Split             |
| 10   | 2900022  | 11   | Flat Washer, 5/16" SAE               |
| 11   | 6019060  | 1    | Fan Shroud                           |
| 12   | 6019059  | 2    | Retainer Bracket                     |
| 13   | 6019111  | 1    | Edge Trim Seal 16-1/4"               |
| 14   | 6019112  | 2    | Edge Trim Seal 13-3/4"               |
| 15   | 6019113  | 2    | Edge Trim Seal 3-1/2"                |
| 16   | 6019114  | 2    | Edge Trim Seal 1-1/4"                |
| 17   | 2503669  | 4    | Vibration Isolator                   |
| 18   | 2901391  | 4    | Cap Screw, Flat Hd., M12-1.75 x 80mm |
| 19   | 2900854  | 6    | Fender Washer, 1/2" x 2"             |
| 20   | 2900327  | 4    | Lock Nut, M12-1.75 Nylon Insert      |


## **Radiator Shroud Assembly #6019007A**



| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 6019075  | 1    | Radiator Shroud                      |
| 2    | 6019076  | 1    | Logo Grille                          |
| 3    | 2901230  | 12   | Cap Screw, Button Hd., #10-24 x 5/8" |
| 4    | 2500962  | 12   | Grommet, 3/16" I.D.                  |
| 5    | 2900017  | 12   | Lock Nut, #10-24 Nylon               |
| 6    | 2502389  | 8    | Button Bumper                        |
| 7    | 2900196  | 3    | Cap Screw, Hex Hd., 3/8-16 x 3/4"    |
| 8    | 2900006  | 4    | Lock Washer, 3/8" Split              |
| 9    | 2900473  | 5    | Flat Washer, 3/8" USS                |
| 10   | 2900892  | 1    | Eyebolt, 3/8-16 x 1-1/2"             |
| 11   | 2900033  | 2    | Hex Nut, 3/8-16                      |
| 12   | 2400145  | 2    | Handle                               |
| 13   | 2900247  | 4    | Cap Screw, Soc. Hd., 1/4-20 x 3/4"   |
| 14   | 2900010  | 4    | Lock Nut, 1/4-20 Nylon               |
| 15   | 6019116  | 1    | Edge Trim 10-1/2"                    |
| 16   | 6019119  | 1    | Edge Trim 6"                         |




## Belt Guard Assembly #6019014



| ITEM | PART NO. | QTY. | DESCRIPTION                           |
|------|----------|------|---------------------------------------|
| 1    | 6019083  | 1    | Belt Guard                            |
| 2    | 2900005  | 5    | Cap Screw, Hex Hd., 3/8-16 x 1"       |
| 3    | 2900006  | 5    | Lock Washer, 3/8" Split               |
| 4    | 2900473  | 5    | Flat Washer, 3/8" USS                 |
| 5    | 6010558  | 1    | Guard Mounting Tab, 3/8-16            |
| 6    | 2900019  | 4    | Cap Screw, Hex Hd., 5/16-18 x 3/4"    |
| 7    | 2900031  | 4    | Lock Washer, 5/16" Split              |
| 8    | 2900022  | 4    | Flat Washer, 5/16" SAE                |
| 9    | 6010556  | 1    | Belt Guard Mount Bracket              |
| 10   | 6010768  | 1    | Swing Cover Plate with Label          |
| 11   | 2900246  | 1    | Shoulder Screw, 5/16" x 1/4" (1/4-20) |
| 12   | 2900252  | 1    | Belleville Washer, 5/16"              |
| 13   | 2900010  | 5    | Lock Nut, 1/4-20 Nylon                |
| 14   | 2900247  | 4    | Cap Screw, Soc. Hd., 1/4-20 x 3/4"    |
| 15   | 2400145  | 2    | Handle                                |
| 16   | 6019147  | 1    | Belt Guard Shim                       |


## **Dual Front Pointer Assembly #6011541**



| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6011537  | 1    | Front Pointer Frame                 |
| 2    | 6011539  | 1    | Pointer Tube, 20"                   |
| 3    | 2504577  | 2    | Shaft Collar, 3/4" Split            |
| 4    | 2504581  | 1    | Wheel, 6"                           |
| 5    | 6011536  | 2    | Front Pointer Rod, 16"              |
| 6    | 2500740  | 2    | Pointer Cap                         |
| 7    | 2900013  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1-1/4" |
| 8    | 2900033  | 4    | Hex Nut, 3/8-16                     |
| 9    | 6011152  | 2    | Front Pointer Arm                   |
| 10   | 2900005  | 2    | Cap Screw, Hex Hd., 3/8-16 x 1"     |
| 11   | 2900105  | 2    | Cap Screw, Hex Hd., 1/2-13 x 2-3/4" |
| 12   | 2900239  | 2    | Friction Washer, 1/2"               |
| 13   | 2900026  | 2    | Lock Nut, 1/2-13 Nylon              |
| 14   | 6017241  | 1    | Pointer Rope 11 Foot                |
| 15   | 3200221  | 2    | Pinch Clamp, Two Ear                |

(BLANK)

## 14" Blade Guard Assembly #6010950




## **14" Blade Guard Assembly #6010950**

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010601  | 1    | 14" Blade Guard Front & Rear Only       |
| 2    | 6010081  | 1    | Splash Flap                             |
| 3    | 2900310  | 2    | Cap Screw, Hex Hd., M6-1.0 x 20mm       |
| 4    | 2901494  | 4    | Flat Washer, M6                         |
| 5    | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 6    | 2900302  | 8    | Lock Nut, M6-1.0 Nylon Insert           |
| 7    | 6010261  | 1    | Water Manifold                          |
| 8    | 2500830  | 1    | Water Manifold Gasket                   |
| 9    | 2901355  | 2    | Cap Screw, Hex Hd., M6-1.0 x 50mm       |
| 10   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 11   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 12   | 2900278  | 1    | Lanyard with Lock Pin                   |
| 13   | 6048283  | 2    | Water Tube for 14" Guard                |
| 14   | 6048155  | 2    | Water Tube Clamp                        |
| 15   | 2900308  | 4    | Cap Screw, Flat Hd., M6-1.0 x 16mm      |
| 16   | 1800001  | 1    | Warning Label                           |
| 17   | 1801369A | 1    | Blade Guard Size Tag                    |
| 18   | 2900287  | 2    | Rivet, 1/8" Dia.                        |
| 19   | 1802090  | 2    | Label, Wedge Locking Washer             |
| 20   | 6048026  | 1    | Hinge Assembly                          |

| ITEM | PART NO. | QTY. | DESCRIPTION                       |
|------|----------|------|-----------------------------------|
| 21   | 2500270  | 1    | Blade Guard Hinge                 |
| 22   | 2900310  | 5    | Cap Screw, Hex Hd., M6-1.0 x 20mm |
| 23   | 2901494  | 6    | Flat Washer, M6                   |
| 24   | 2900302  | 7    | Lock Nut, M6-1.0 Nylon Insert     |
| 25   | 2900312  | 1    | Cap Screw, Hex Hd., M6-1.0 x 35mm |

## 20" Blade Guard Assembly #6010952




## **20" Blade Guard Assembly #6010952**

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010603  | 1    | 20" Blade Guard Front & Rear Only       |
| 2    | 6010081  | 1    | Splash Flap                             |
| 3    | 2900310  | 2    | Cap Screw, Hex Hd., M6-1.0 x 20mm       |
| 4    | 2901494  | 4    | Flat Washer, M6                         |
| 5    | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 6    | 2900302  | 8    | Lock Nut, M6-1.0 Nylon Insert           |
| 7    | 6010261  | 1    | Water Manifold                          |
| 8    | 2500830  | 1    | Water Manifold Gasket                   |
| 9    | 2901355  | 2    | Cap Screw, Hex Hd., M6-1.0 x 50mm       |
| 10   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 11   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 12   | 2900278  | 1    | Lanyard with Lock Pin                   |
| 13   | 6010085  | 2    | Water Tube for 20" Guard                |
| 14   | 6048155  | 2    | Water Tube Clamp                        |
| 15   | 2900308  | 4    | Cap Screw, Flat Hd., M6-1.0 x 16mm      |
| 16   | 1800001  | 1    | Warning Label                           |
| 17   | 1801369D | 1    | Blade Guard Size Tag                    |
| 18   | 2900287  | 2    | Rivet, 1/8" Dia.                        |
| 19   | 1802090  | 2    | Label, Wedge Locking Washer             |
| 20   | 6048027  | 1    | Hinge Assembly                          |

| ITEM | PART NO. | QTY. | DESCRIPTION                       |
|------|----------|------|-----------------------------------|
| 21   | 2500270  | 1    | Blade Guard Hinge                 |
| 22   | 2900310  | 6    | Cap Screw, Hex Hd., M6-1.0 x 20mm |
| 23   | 2901494  | 6    | Flat Washer, M6                   |
| 24   | 2900302  | 6    | Lock Nut, M6-1.0 Nylon Insert     |

## 26" Blade Guard Assembly #6010954






## **26" Blade Guard Assembly #6010954**

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010955  | 1    | 26" Blade Guard Front & Rear Only       |
| 2    | 6010081  | 1    | Splash Flap                             |
| 3    | 2900310  | 2    | Cap Screw, Hex Hd., M6-1.0 x 20mm       |
| 4    | 2901494  | 4    | Flat Washer, M6                         |
| 5    | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 6    | 2900302  | 6    | Lock Nut, M6-1.0 Nylon Insert           |
| 7    | 6010261  | 1    | Water Manifold                          |
| 8    | 2500830  | 1    | Water Manifold Gasket                   |
| 9    | 2900765  | 2    | Lock Washer, M6 Split                   |
| 10   | 2901355  | 2    | Cap Screw, Hex Hd., M6-1.0 x 50mm       |
| 11   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 12   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 13   | 2900279  | 1    | Lanyard with Lock Pin                   |
| 14   | 6010086  | 2    | Water Tube for 26" Guard                |
| 15   | 6048155  | 2    | Water Tube Clamp                        |
| 16   | 2900308  | 4    | Cap Screw, Flat Hd., M6-1.0 x 16mm      |
| 17   | 1800001  | 1    | Warning Label                           |
| 18   | 1801369F | 1    | Blade Guard Size Tag                    |
| 19   | 2900287  | 2    | Rivet, 1/8" Dia.                        |
| 20   | 1802090  | 2    | Label, Wedge Locking Washer             |
| 21   | 6010873  | 1    | Universal Hinge Assembly                |

| ITEM | PART NO. | QTY | DESCRIPTION                        |
|------|----------|-----|------------------------------------|
| 22   | 6010871  | 2   | Hinge Weldment, Universal          |
| 23   | 2900479  | 1   | Cap Screw, Hex Hd., 3/4-10 x 4"    |
| 24   | 2900467  | 1   | Lock Nut, 3/4-10 Nylon             |
| 25   | 2901356  | 4   | Flat Washer, M10                   |
| 26   | 2900321  | 4   | Lock Washer, M10 Split             |
| 27   | 2900333  | 4   | Cap Screw, Hex Hd., M10-1.5 x 25mm |
| 28   | 2503824  | 1   | Detent Pin, 3/4" x 3" Grip         |

### **30" Blade Guard Assembly #6010956**




### **30" Blade Guard Assembly #6010956**

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010957  | 1    | 30" Blade Guard Front & Rear Only       |
| 2    | 6010081  | 1    | Splash Flap                             |
| 3    | 2900310  | 2    | Cap Screw, Hex Hd., M6-1.0 x 20mm       |
| 4    | 2901494  | 4    | Flat Washer, M6                         |
| 5    | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 6    | 2900302  | 6    | Lock Nut, M6-1.0 Nylon Insert           |
| 7    | 6010261  | 1    | Water Manifold                          |
| 8    | 2500830  | 1    | Water Manifold Gasket                   |
| 9    | 2900765  | 2    | Lock Washer, M6 Split                   |
| 10   | 2901355  | 2    | Cap Screw, Hex Hd., M6-1.0 x 50mm       |
| 11   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 12   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 13   | 2900279  | 1    | Lanyard with Lock Pin                   |
| 14   | 6010087  | 2    | Water Tube for 30" Guard                |
| 15   | 6010873  | 1    | Universal Hinge Assembly                |
| 16   | 6048155  | 2    | Water Tube Clamp                        |
| 17   | 2900308  | 4    | Cap Screw, Flat Hd., M6-1.0 x 16mm      |
| 18   | 1800001  | 1    | Warning Label                           |
| 19   | 1801369G | 1    | Blade Guard Size Tag                    |
| 20   | 2900287  | 2    | Rivet, 1/8" Dia.                        |
| 21   | 1802090  | 2    | Label, Wedge Locking Washer             |

| ITEM | PART NO. | QTY | DESCRIPTION                        |
|------|----------|-----|------------------------------------|
| 22   | 6010871  | 2   | Hinge Weldment, Universal          |
| 23   | 2900479  | 1   | Cap Screw, Hex Hd., 3/4-10 x 4"    |
| 24   | 2900467  | 1   | Lock Nut, 3/4-10 Nylon             |
| 25   | 2901356  | 4   | Flat Washer, M10                   |
| 26   | 2900321  | 4   | Lock Washer, M10 Split             |
| 27   | 2900333  | 4   | Cap Screw, Hex Hd., M10-1.5 x 25mm |
| 28   | 2503824  | 1   | Detent Pin, 3/4" x 3" Grip         |

## **36" Blade Guard Assembly #6010958**




### **36" Blade Guard Assembly #6010958**

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010959  | 1    | 36" Blade Guard Front & Rear Only       |
| 2    | 6010081  | 1    | Splash Flap                             |
| 3    | 2900310  | 2    | Cap Screw, Hex Hd., M6-1.0 x 20mm       |
| 4    | 2901494  | 4    | Flat Washer, M6                         |
| 5    | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 6    | 2900302  | 6    | Lock Nut, M6-1.0 Nylon Insert           |
| 7    | 6010261  | 1    | Water Manifold                          |
| 8    | 2500830  | 1    | Water Manifold Gasket                   |
| 9    | 2900765  | 2    | Lock Washer, M6 Split                   |
| 10   | 2901355  | 2    | Cap Screw, Hex Hd., M6-1.0 x 50mm       |
| 11   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 12   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 13   | 2900280  | 1    | Lanyard with Lock Pin                   |
| 14   | 6010088  | 2    | Water Tube for 36" Guard                |
| 15   | 6048155  | 2    | Water Tube Clamp                        |
| 16   | 2900308  | 4    | Cap Screw, Flat Hd., M6-1.0 x 16mm      |
| 17   | 1800001  | 1    | Warning Label                           |
| 18   | 1801369H | 1    | Blade Guard Size Tag                    |
| 19   | 2900639  | 2    | Rivet, 1/8" Dia.                        |
| 20   | 2901358  | 1    | Flat Washer, M16                        |
| 21   | 2900716  | 1    | Lock Washer, M16 Split                  |
| 22   | 2901349  | 1    | Cap Screw, Hex Hd., M16-2.0 x 110mm     |
| 23   | 6010873  | 1    | Universal Hinge Assembly                |
| 24   | 1802090  | 2    | Label, Wedge Locking Washer             |

| ITEM | PART NO. | QTY | DESCRIPTION                        |
|------|----------|-----|------------------------------------|
| 25   | 6010871  | 2   | Hinge Weldment, Universal          |
| 26   | 2900479  | 1   | Cap Screw, Hex Hd., 3/4-10 x 4"    |
| 27   | 2900467  | 1   | Lock Nut, 3/4-10 Nylon             |
| 28   | 2901356  | 4   | Flat Washer, M10                   |
| 29   | 2900321  | 4   | Lock Washer, M10 Split             |
| 30   | 2900333  | 4   | Cap Screw, Hex Hd., M10-1.5 x 25mm |
| 31   | 2503824  | 1   | Detent Pin, 3/4" x 3" Grip         |

## **42" Blade Guard Assembly #6010960**




## **42" Blade Guard Assembly #6010960**

| ITEM | PART NO. | QTY | DESCRIPTION                             |
|------|----------|-----|-----------------------------------------|
| 1    | 6010961  | 1   | 42" Blade Guard Front & Rear Only       |
| 2    | 6010081  | 1   | Splash Flap                             |
| 3    | 2900310  | 2   | Cap Screw, Hex Hd., M6-1.0 x 20mm       |
| 4    | 2901494  | 4   | Flat Washer, M6                         |
| 5    | 2900083  | 2   | Fender Washer, 1/4" x 1-1/4"            |
| 6    | 2900302  | 6   | Lock Nut, M6-1.0 Nylon Insert           |
| 7    | 6048123  | 1   | Water Manifold                          |
| 8    | 2500829  | 1   | Water Manifold Gasket                   |
| 9    | 2900765  | 2   | Lock Washer, M6 Split                   |
| 10   | 2901355  | 2   | Cap Screw, Hex Hd., M6-1.0 x 50mm       |
| 11   | 3200001  | 3   | Plug, 1/8" NPT                          |
| 12   | 3200002  | 1   | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 13   | 2900280  | 1   | Lanyard with Lock Pin                   |
| 14   | 6010114  | 2   | Water Tube for 42" Guard                |
| 15   | 6048155  | 2   | Water Tube Clamp                        |
| 16   | 2900308  | 4   | Cap Screw, Flat Hd., M6-1.0 x 16mm      |
| 17   | 1800001  | 1   | Warning Label                           |
| 18   | 1801369I | 1   | Blade Guard Size Tag                    |
| 19   | 2900639  | 2   | Rivet, 1/8" Dia.                        |
| 20   | 2901358  | 1   | Flat Washer, M16                        |
| 21   | 2900716  | 1   | Lock Washer, M16 Split                  |
| 22   | 2901349  | 1   | Cap Screw, Hex Hd., M16-2.0 x 110mm     |
| 23   | 6010873  | 1   | Universal Hinge Assembly                |
| 24   | 1802090  | 2   | Label, Wedge Locking Washer             |

| ITEM | PART NO. | QTY | DESCRIPTION                        |
|------|----------|-----|------------------------------------|
| 25   | 6010871  | 2   | Hinge Weldment, Universal          |
| 26   | 2900479  | 1   | Cap Screw, Hex Hd., 3/4-10 x 4"    |
| 27   | 2900467  | 1   | Lock Nut, 3/4-10 Nylon             |
| 28   | 2901356  | 4   | Flat Washer, M10                   |
| 29   | 2900321  | 4   | Lock Washer, M10 Split             |
| 30   | 2900333  | 4   | Cap Screw, Hex Hd., M10-1.5 x 25mm |
| 31   | 2503824  | 1   | Detent Pin, 3/4" x 3" Grip         |


## Optional Water Pump Assembly #6011032



| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 2600200  | 1    | Water Pump, 12V Diaphragm           |
| 2    | 2900008  | 4    | Cap Screw, Hex Hd., 1/4-20 x 1"     |
| 3    | 2900009  | 8    | Flat Washer, 1/4" SAE               |
| 4    | 2900010  | 4    | Lock Nut, 1/4-20 Nylon              |
| 5    | 2701694  | 2    | Port Fitting, 1/2" Barb x 90 Degree |
| 6    | 3200016  | 2    | Hose Clamp #8                       |
| 7    | 6010302  | 1    | Water Hose Assembly 48"             |
| 8    | 6010303  | 1    | Water Hose Assembly 60"             |
| 9    | 2800062  | 1    | Toggle Switch On/Off                |
| 10   | 2800063  | 1    | Toggle Switch Boot                  |




**Optional Water Safety Switch Assembly #6010522**




| ITEM | PART NO. | QTY. | DESCRIPTION                  |
|------|----------|------|------------------------------|
| 1    | 2800060  | 1    | Water Pressure Safety Switch |
| 2    | 2800062  | 1    | Toggle Switch On/Off         |
| 3    | 2800063  | 1    | Toggle Switch Boot           |
| 4    | 2800144  | 1    | Relay, 50 Amp, 12V, SPDT     |
| 5    | 2800263  | 1    | Relay Connector (5 Wire)     |

## Optional Spot Light Assembly #6010112




| ITEM | PART NO. | QTY. | DESCRIPTION                       |
|------|----------|------|-----------------------------------|
| 1    | 2500194  | 1    | Spot Light, 12 Volt               |
| 2    | 6010106  | 1    | Light Bar                         |
| 3    | 6010107  | 1    | Light Bar Mount Bracket           |
| 4    | 2400157  | 2    | Hand Lock Knob, 5/16-18 x 1"      |
| 5    | 2900144  | 2    | Cap Screw, Hex Hd., 1/4-20 x 3/4" |
| 6    | 2900010  | 2    | Lock Nut, 1/4-20 Nylon            |
| 7    | 2800062  | 1    | Toggle Switch On/Off              |
| 8    | 2800063  | 1    | Toggle Switch Boot                |

## Optional Lowering Speed Metering Valve Assembly #6010227



| ITEM | PART NO. | QTY. | DESCRIPTION                          |
|------|----------|------|--------------------------------------|
| 1    | 3200211  | 1    | Valve, 1/4" Metering                 |
| 2    | 3200212  | 1    | Panel Mounting Kit                   |
| 3    | 3200057  | 2    | Elbow, 1/4" M. Pipe to 1/4" M. JIC   |
| 4    | 3200115  | 1    | Elbow, 3/8" O-Ring to 1/4" F. Pipe   |
| 5    | 3200213  | 2    | Tee, 1/4" M. JIC to 1/4" M. Pipe     |
| 6    | 3200219  | 1    | Adapter, 1/4" M. Pipe to 1/4" F. JIC |
| 7    | 3200218  | 1    | Check Valve                          |
| 8    | 6010247  | 1    | Hose Assembly, 8" Long               |
| 9    | 6010248  | 1    | Hose Assembly, 20" Long              |

**Optional Blade Stacking Assembly #6010630**  
(Up to 1-1/2" width)




**Optional Blade Stacking Assembly #6010630**  
**(Up to 1-1/2" width)**

| ITEM | PART NO. | QTY. | DESCRIPTION                         |
|------|----------|------|-------------------------------------|
| 1    | 6010159  | 1    | Outer Flange 4-1/2" with Pin        |
| 2    | 2900002  | 1    | Flat Washer, 5/8" SAE               |
| 3    | 2900113  | 1    | Lock Washer, 5/8" Split             |
| 4    | 2900210  | 1    | Cap Screw, Hex Hd., 5/8"-11 x 5" LH |
| 5    | 6010620  | 1    | 20" Wide Blade Guard Assembly       |

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 6    | 6010621  | 1    | 20" Wide Blade Guard Front & Rear Only  |
| 7    | 6010296  | 1    | Splash Flap                             |
| 8    | 2900008  | 2    | Cap Screw, Hex Hd., 1/4-20 x 1"         |
| 9    | 2900009  | 4    | Flat Washer, 1/4" SAE                   |
| 10   | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 11   | 2900010  | 8    | Lock Nut, 1/4-20 Nylon                  |
| 12   | 6010288  | 1    | Water Manifold                          |
| 13   | 2500988  | 1    | Water Manifold Gasket                   |
| 14   | 2900294  | 2    | Cap Screw, Hex Hd., 1/4-20 x 2"         |
| 15   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 16   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 17   | 2900278  | 1    | Lanyard with Lock Pin                   |
| 18   | 6010085  | 2    | Water Tube for 20" Guard                |
| 19   | 6048155  | 2    | Water Tube Clamp                        |
| 20   | 2900020  | 4    | Cap Screw, Flat Hd., 1/4-20 x 3/4"      |
| 21   | 3200208  | 1    | Nozzle, 1/4" NPT                        |
| 22   | 1800001  | 1    | Warning Label                           |
| 23   | 6010251  | 1    | Hinge Assembly for 20" Guard            |

**Optional Blade Spacing Assembly #6010631**  
(Up to 2" width)




**Optional Blade Spacing Assembly #6010631**  
**(Up to 2" width)**

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010186  | 1    | Blade Shaft Extension, Left Hand Thread |
| 2    | 6010187  | 1    | Outer Flange 4-1/2"                     |
| 3    | 2900218  | 1    | Dowel Pin, 3/8" Dia. x 3-1/2"           |
| 4    | 2900212  | 1    | Hex Nut, 1"-14 Left Hand                |
| 5    | 6010620  | 1    | 20" Wide Blade Guard Assembly           |

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 6    | 6010621  | 1    | 20" Wide Blade Guard Front & Rear Only  |
| 7    | 6010296  | 1    | Splash Flap                             |
| 8    | 2900008  | 2    | Cap Screw, Hex Hd., 1/4-20 x 1"         |
| 9    | 2900009  | 4    | Flat Washer, 1/4" SAE                   |
| 10   | 2900083  | 2    | Fender Washer, 1/4" x 1-1/4"            |
| 11   | 2900010  | 8    | Lock Nut, 1/4-20 Nylon                  |
| 12   | 6010288  | 1    | Water Manifold                          |
| 13   | 2500988  | 1    | Water Manifold Gasket                   |
| 14   | 2900294  | 2    | Cap Screw, Hex Hd., 1/4-20 x 2"         |
| 15   | 3200001  | 3    | Plug, 1/8" NPT                          |
| 16   | 3200002  | 1    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 17   | 2900278  | 1    | Lanyard with Lock Pin                   |
| 18   | 6010085  | 2    | Water Tube for 20" Guard                |
| 19   | 6048155  | 2    | Water Tube Clamp                        |
| 20   | 2900020  | 4    | Cap Screw, Flat Hd., 1/4-20 x 3/4"      |
| 21   | 3200208  | 1    | Nozzle, 1/4" NPT                        |
| 22   | 1800001  | 1    | Warning Label                           |
| 23   | 6010251  | 1    | Hinge Assembly for 20" Guard            |

# **Optional Blade Spacing Assembly #6010632** **(Up to 4" width)**





**Optional Blade Spacing Assembly #6010632**  
(Up to 4" width)


| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 1    | 6010309  | 1    | Blade Shaft Extension, Left Hand Thread |
| 2    | 6010187  | 1    | Outer Flange 4-1/2"                     |
| 3    | 6010359  | 1    | Drive Pin, 3/8" Dia. x 5"               |
| 4    | 2900212  | 1    | Hex Nut, 1"-14 Left Hand                |
| 5    | 6010622  | 1    | 20" Wide Blade Guard Assembly           |

| ITEM | PART NO. | QTY. | DESCRIPTION                             |
|------|----------|------|-----------------------------------------|
| 6    | 6010623  | 1    | 20" Wide Blade Guard Front & Rear Only  |
| 7    | 6010366  | 1    | Splash Flap                             |
| 8    | 2900008  | 3    | Cap Screw, Hex Hd., 1/4-20 x 1"         |
| 9    | 2900009  | 7    | Flat Washer, 1/4" SAE                   |
| 10   | 2900083  | 3    | Fender Washer, 1/4" x 1-1/4"            |
| 11   | 2900010  | 11   | Lock Nut, 1/4-20 Nylon                  |
| 12   | 6048123  | 2    | Water Manifold                          |
| 13   | 2500829  | 2    | Water Manifold Gasket                   |
| 14   | 2900294  | 4    | Cap Screw, Hex Hd., 1/4-20 x 2"         |
| 15   | 3200001  | 4    | Plug, 1/8" NPT                          |
| 16   | 3200002  | 2    | Fitting, 3/8" M. Pipe to 3/4" M. Garden |
| 17   | 2900278  | 1    | Lanyard with Lock Pin                   |
| 18   | 6010085  | 2    | Water Tube for 20" Guard                |
| 19   | 6048155  | 2    | Water Tube Clamp                        |
| 20   | 2900020  | 4    | Cap Screw, Flat Hd., 1/4-20 x 3/4"      |
| 21   | 3200208  | 2    | Nozzle, 1/4" NPT                        |
| 22   | 1800001  | 1    | Warning Label                           |
| 23   | 6010251  | 2    | Hinge Assembly for 20" Guard            |
| 24   | 6010588  | 1    | Hose Assembly, Dual Inlet               |

(BLANK)

(BLANK)

## CC6566 Wiring Diagram




| ITEM | PART #  | QTY | DESC                    |
|------|---------|-----|-------------------------|
| 1    | 2800465 | 1   | Battery                 |
| 2    | 2600070 | 1   | Hyd Lift Pump           |
| 3    | 2703210 | 1   | Solenoid Switch         |
| 4    | 2700243 | 1   | Valve Coil              |
|      | 2700244 | 1   | Stem                    |
| 5    | 2800372 | 1   | Raise Pushbutton        |
|      | 2800373 | 1   | Lower Pushbutton        |
| 6    | 2704959 | 1   | Alternator              |
| 7    | 2704958 | 1   | Starter                 |
| 8    | 2704964 | 1   | Fuel Solenoid           |
| 9    | 2705005 | 1   | Fuel Pump               |
| 10   | 2704962 | 1   | Glow Plug               |
| 11   | 2800144 | 2   | Relay (R1) (R2 = ACC.)  |
| 12   | 2800643 | 1   | Circuit Breaker         |
|      | 2800364 | 1   | Boot for Breaker        |
| 13   | 2705001 | 1   | Ign. Switch and Keys    |
|      | 2705000 | 1   | Keys only (pair)        |
| 14   | 2705006 | 1   | Timer                   |
| 15   | 2705003 | 1   | Cluster Guage (4-way)   |
| 16   | 2704963 | 1   | Oil Pres. Sender        |
| 17   | 2800617 | 1   | Water Temp Gauge        |
| 18   | 2800624 | 1   | Water Temp Sender       |
| 19   | 2801367 | 1   | E-stop Switch           |
| 20   | 6010416 | 1   | Tach/Hour Meter (VDO)   |
| 21   | 2800169 | 1   | Magnetic Sensor         |
| 22   | 2800925 | 1   | Fuse Panel with Cover   |
|      | 2801439 | 6   | 10AMP Fuse (LED)        |
| 23   | 2800368 | 1   | Diode                   |
| 24   | 2800062 | 3   | Toggle Switch           |
| 25   | 2500194 | 1   | Spot Light              |
| 26   | 2800060 | 1   | Water Pres. Switch N.O. |
| 27   | 2600200 | 1   | Water Pump              |
| 28   | 2801815 | 1   | Inline Fuse Holder      |
|      | 2801439 | 1   | 10AMP Minil Fuse (1 FD) |

## Decal Group

# CORE CUT

## CC6566

Core Cut Decal #1801982 (Qty. 3)



Instrument Panel Decal #1801983

**DIAMOND PRODUCTS**

**CORE CUT**

333 PROSPECT STREET  
ELYRIA, OHIO 44025 USA  
PHONE 1-800-321-5336  
www.diamondproducts.com

| BLADE SIZE | BLADE RPM | BLADES/SHAFT SHEAVE | ENGINE SHEAVE | ENGINE RPM | BELT SIZE | FLANGE SIZE | MAX CUT DEPTH |
|------------|-----------|---------------------|---------------|------------|-----------|-------------|---------------|
| 14"        | 2,900     | 4"                  | 4"            | 2,900      | 3VX570    | 4-1/2"      | 4-1/2"        |
| 20"        | 2,500     | 4.5"                | 4"            | 2,800      | 3VX580    | 4-1/2"      | 7-1/2"        |
| 26"        | 2,100     | 4.5"                | 4"            | 2,350      | 3VX580    | 4-1/2"      | 10-1/2"       |
| 30"        | 1,800     | 6"                  | 4"            | 2,700      | 3VX600    | 6"          | 11-3/4"       |
| 36"        | 1,500     | 6"                  | 4"            | 2,250      | 3VX600    | 6"          | 14-3/4"       |
| 42"        | 1,300     | 6"                  | 4"            | 1,950      | 3VX600    | 6"          | 17-3/4"       |

**WARNING! NEVER EXCEED THE MAXIMUM RPM STAMPED ON BLADE!**  
**EXCESSIVE SPEED CAN CAUSE BLADE BREAKAGE RESULTING IN SERIOUS PERSONAL INJURY OR DEATH.**

**WARNING**

Always check the bladeshaft RPM before mounting blade.  
 Only use blades with a rated speed higher than the bladeshaft speed.  
 Never exceed the maximum RPM stamped on blade. Exceeding the blade's rated speed can cause blade breakage and serious personal injury.  
 When changing blade size, always adjust bladeshaft RPM according to the speed chart to match recommended blade RPM.  
 Do not use a blade flange size smaller than indicated for each blade.  
 Never operate saw without the blade guard in place or allow rotating blade exposure to exceed 180 degrees.  
 Never stand in line with the blade path when starting or operating saw.  
 Never use damaged blades or equipment.  
 Refer to operator's manual for additional information about safety, operation and maintenance.

**ADVERTENCIA**

Siempre verifique la velocidad en RPM del eje de la hoja de desmontar la amoladora.  
 Solo use hojas con una velocidad mayor que la velocidad en RPM del eje de la amoladora.  
 Nunca exceda la velocidad máxima en RPM indicada en la hoja. Exceder la velocidad máxima puede causar la rotura de la hoja y lesiones graves.  
 Cuando cambie el tamaño de la hoja, siempre ajuste la velocidad en RPM del eje de la amoladora de acuerdo al tamaño de la hoja.  
 Nunca opere la sierra sin la guarda de la hoja en su lugar o permita la exposición de la hoja por más de 180 grados.  
 Nunca se quede en línea con la trayectoria de la hoja al iniciar o al operar la sierra.  
 Nunca use hojas dañadas o equipo.  
 Consulte el manual del operador para obtener información adicional sobre seguridad, operación y mantenimiento.

RPM Chart Decal #1801984

**WARNING**

**TO PREVENT SERIOUS INJURY**  
 DO NOT OPERATE SAW WITHOUT PROPER TRAINING & FULL UNDERSTANDING OF THE OWNERS MANUAL.

**WHEN OPERATING THIS MACHINE**

**KEEP ALL GUARDS IN PLACE**

**ALWAYS WEAR SAFETY APPROVED**

**HEARING PROTECTION**

**EYE OR FACE PROTECTION**

**HEAD PROTECTION**

**RESPIRATOR**

S.M.I. MASONRY AND CONCRETE SAW MANUFACTURERS INSTITUTE ©

Warning Decal #1800001

**REAR AXLE ADJUSTMENT**  
 ADJUSTE DEL EJE POSTERIOR

**WATER PUMP**  
 BOMBA DE AGUA  
 ON OFF

**SPOT LIGHT**  
 DE LUZ  
 ON OFF

**WATER SAFETY**  
 SEGURIDAD DEL AGUA  
 ON OFF

**BLADE LOWERING SPEED**  
 VELOCIDAD DE BAJADA DEL DISCO  
 SLOW FAST  
 LENTO RÁPIDO

**BLADE DEPTH STOP**  
 PROFUNDIDAD DE CORTADO  
 MORE DEPTH LESS DEPTH  
 MÁS PROFUNDIDAD MENOS PROFUNDIDAD

**TRANSMISSION**  
 FORWARD ADELANTE  
 NEUTRAL  
 REVERSE REVERSA

**WARNING ADVERTENCIA**  
 READ OWNERS MANUAL BEFORE OPERATING MACHINE. LEA EL MANUAL DEL USUARIO ANTES DE OPERAR LA SIERRA.  
 ALWAYS WEAR SAFETY APPROVED EQUIPMENT. SIEMPRE USE EQUIPO DE PROTECCIÓN APROBADO.

**BLADE CONTROL**  
 TIGHTEN LOOSEN  
 AJUSTAR SOLTAR

**STOP**  
 TIGHTEN LOOSEN  
 AJUSTAR SOLTAR

Saw Decals Sheet #1801990

**ADD 3 PUMPS OF GREASE TO PTO EVERY 25 HOURS. USE HIGH TEMPERATURE, EXTREME PRESSURE, LITHIUM BASED GREASE.**

Grease PTO Decal #1800897

## Notes

[illegible]

## Blade Speed Conversion Charts

**WARNING:** Do not exceed blade speed (RPM) shown for each blade size.  
Excessive blade speed could result in blade breakage and serious personal injury!

| Blade Size | Blade Shaft |             | Engine      |             | Max. Depth of Cut |
|------------|-------------|-------------|-------------|-------------|-------------------|
|            | No Load RPM | Sheave Size | No Load RPM | Sheave Size |                   |
| 14"        | 2,900       | 4"          | 2,900       | 4"          | 4-1/2"            |
| 20"        | 2,500       | 4.5"        | 2,800       | 4"          | 7-1/2"            |
| 26"        | 2,100       | 4.5"        | 2,350       | 4"          | 10-1/2"           |
| 30"        | 1,800       | 6"          | 2,700       | 4"          | 11-3/4"           |
| 36"        | 1,500       | 6"          | 2,250       | 4"          | 14-3/4"           |
| 42"        | 1,300       | 6"          | 1,950       | 4"          | 17-3/4"           |

**WARNING:** When changing blade size, use chart shown below for selecting items that must be changed.

| Model CC6566                        | 14"                 | 20"                 | 26"                 | 30"                 | 36"                 | 42"                 |
|-------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Blade Guard Assembly                | 6010950             | 6010952             | 6010954             | 6010956             | 6010958             | 9010960             |
| Blade Shaft Sheave<br>(Sheave Size) | 6010658<br>(4")     | 6010545<br>(4.5")   | 6010545<br>(4.5")   | 6013046<br>(6")     | 6013046<br>(6")     | 6013046<br>(6")     |
| Drive Belts (10)<br>(Belt Size)     | 2503849<br>(3VX570) | 2503683<br>(3VX580) | 2503683<br>(3VX580) | 2503684<br>(3VX600) | 2503684<br>(3VX600) | 2503684<br>(3VX600) |
| Inner Flanges (2)<br>(Flange Size)  | 6010036<br>(4.5")   | 6010036<br>(4.5")   | 6010036<br>(4.5")   | 6010038<br>(6")     | 6010038<br>(6")     | 6010038<br>(6")     |
| Outer Flanges (2)<br>(Flange Size)  | 6010037<br>(4.5")   | 6010037<br>(4.5")   | 6010037<br>(4.5")   | 6010039<br>(6")     | 6010039<br>(6")     | 6010039<br>(6")     |
| Skid Plate<br>Mounting Holes        | Bottom Set          | Bottom Set          | Bottom Set          | Top Set             | Top Set             | Top Set             |

## EQUIPMENT AND PARTS WARRANTY

Diamond Products warrants all equipment manufactured by it against defects in workmanship or materials for a period of one (1) year from the date of shipment to Customer.

The responsibility of Diamond Products under this Warranty is limited to replacement or repair of defective parts at Diamond Products' Elyria, Ohio factory, or at a point designated by it, of such parts as shall appear to us upon inspection at such parts, to have been defective in material or workmanship, with expense for transportation and labor borne by Customer.

In no event shall Diamond Products be liable for consequential or incidental damages arising out of the failure of any Product to operate properly.

Integral units such as engines, electric motors, batteries, transmissions, etc., are excluded from this Warranty and are subject to the prime manufacturer's warranty.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, AND ALL SUCH OTHER WARRANTIES ARE HEREBY DISCLAIMED.



333 Prospect Street, Elyria, Ohio 44035  
(440) 323-4616 • (800) 321-5336 • Fax (800) 634-4035  
[www.diamondproducts.com](http://www.diamondproducts.com)