

CORE VAC



DUST & SLURRY CONTAINMENT PRODUCTS





BLADE BANDIT & ACCESSORIES

**CORE
VAC**



BLADE BANDIT

For Dust Removal

- Installs on most side grinders
- Can be used WET or DRY
- For use with diamond blade, tuck point blade or .375" V-crack blades with hub
- 1-1/2" vacuum port
- Can be used wet or dry
- Visible depth adjustment
- Clear polycarbonate for visible cutting
- Heavy duty, flexible material to withstand rugged job sites



Vac Adapter
Included

Includes vac adapter, shaft adapter and collar bushings

BLADE BANDIT

Description	Part #	Cat #
Blade Bandit for 5" blades	2508106	77540
Blade Bandit for 7" blades	2508107	77617

HOSE ADAPTERS

Helps bypass special proprietary quick disconnect vacuum hoses.
Fits and adapts to almost any vacuum hose.



Core Vac Multi-Hose Adapter

- Inside diameters: 1.250", 1.5" & 2.5"
- Outside diameters: 1", 1.250" & 2"



Vac Adapter for Blade Bandit and C14/C16 Saws

- Included with the Blade Bandit

18" Core Vac Adapter Hose

- 1.250" & 2.5"
- Great for use with the Bit Bandit



CORE VAC ACCESSORIES

Description	Part #	Cat #
Core Vac Multi-Hose Adapter	2508104	31810
18" Core Vac Adapter Hose	2507000	35545
Vac Adapter for Blade Bandit, C14, C16, No Hose	2508129	00371
Vac Adapter for Blade Bandit with 15 ft. Hose	2508108	03966



CORE VAC



BIT BANDIT

For Dust Removal

- Installs in seconds
- Can be used WET or DRY
- 1-1/4" vacuum port
- Can be used wet or dry
- Clear polycarbonate for visible coring
- Heavy duty, flexible material to withstand rugged job sites



BIT BANDIT

Description	Part #	Cat #
Bit Bandit for 1" to 4" diameter bits	2508102	92859
Bit Bandit for 2" to 8" diameter bits	2508103	92819

CUP BANDIT

For Dust Removal

- Rubber collar allows movement with the tool and fits any grinder
- Can be used WET or DRY
- Clear polycarbonate for visible grinding
- Fits 3 size vacuum ports: 1-1/4", 2" & 2-1/4"
- Removable edge to allow grinding against a wall
- Heavy duty material to withstand rugged job sites



CUP BANDIT

Description	Part #	Cat #
Cup Bandit for 5" cup grinders	2508100	93507
Cup Bandit for 7" cup grinders	2508101	93684



CV150S SLURRY VACUUM

**CORE
VAC**



Easy
Removable
Head For
Access
to Waste
Container



**CV150S
with Metal
Wand**



**CV150S
with Plastic
Wand**



Wet or Dry Containment

CORE VAC CV150S SLURRY CONTAINMENT VACUUM

Description	Part #	Cat #
CV150S Vacuum with Plastic Wand	4244141	108954
CV150S Vacuum with Metal Wand	4244143	110539
Metal Wand Only	6079656	110536

SPECIFICATIONS

Volts	120V
CFM	150
Hose Length	13 foot, 3" diameter

**CORE
VAC****Large Capacity
Drum For Wet
Slurry**

Piece together the items
you need: Vacuum head,
55 gallon drum, cart with
wheels, hose and
accessories

**CV300S Vacuum
Electric****FEATURES:**

- 2" hose diameter
- Includes 55 gallon drum (complete unit)
- Large back wheels and caster wheel for easy maneuverability



Wet Containment

CV300S VACUUM
(SOLD AS INDIVIDUAL ITEMS)

Description	Part #	Cat #
CV300S Motor Head Only	2506969	106885
55 Gallon Drum with Drain	6049207	108453
Drum Cart with Wheels	6049206	108454
15ft. Hose	2505973	108455
30ft. Hose	2505974	108456
Vacuum Wand	2505970	108457
Wand Base	2505972	108459
Wand Squeegee	2505971	108460

SPECIFICATIONS

Volts	120V
CFM	300
Hose Length	15ft. (included with complete unit) or 30ft. (optional)



CV150C VACUUMS

MINI **HEPA** **WET/DRY** PORTABLE VACUUM

Lightweight, High Filtration,
Single-Phase Compact
Industrial Vacuum with **HEPA**
Clean System

**CORE
VAC**



Wet or Dry
Containment



Pre-Filter for Dry
Containment




Containment Bag
for Wet or Dry

CV150C Vacuum Electric

FEATURES:

- Wet and dry
- Powerful heavy duty motor for industrial performance
- Provides maximum suction power for maximum pick-up



HEPA FILTERS

CV150C WET/DRY CONTAINMENT VACUUM		
Description	Part #	Cat #
CV150C Wet/Dry HEPA Vacuum	4244132	67285
Containment Bag for CV150C	2508578	69711
6 Mil Bag Liner (50 bags)	2506170	83300

SPECIFICATIONS	
Volts	120V
Motor	1350 Watt / 8.2 Amp
CFM	150 CFM
Container Capacity	7.9 gallon (30L)
Dimensions	17"L x 19W x 27H
Hose Length	12 ft.



CORE VAC



CV258LC
Can Style
Model



CV258B
Bag Style
Model



Dry Containment

CV258 Vacuums
Electric

FEATURES:

- 2" hose diameter
- 2 motors
- Self-cleaning patented filtration system
- Hepa filters
- Solid steel construction



HEPA FILTERS

SPECIFICATIONS

Power	120V, 2700 Watt
CFM	258 CFM
Filtration	Self-cleaning
Hose Length	37 ft.

CORE VAC CV258 DUST CONTAINMENT VACUUMS

Description	Part #	Cat #
CV258LC Dust Control Vacuum (Can Style)	4244137	104364
CV258B Dust Control Vacuum (Bag Style)	4244131	83263
Bag, Continuous (plastic)	4600172	84935



Easy adjustment handle releases the bag and allows quick access for disposal (CV258B only)



CV358B VACUUM

**CORE
VAC**



**Continuous Plastic
Bag For Quick
Material Disposal**

CV358B Vacuum Electric

FEATURES:

- 2" hose diameter
- 3 motors
- Self-cleaning patented filtration system
- HEPA filters
- Solid steel construction

SPECIFICATIONS

Volts	120V
Motor	27.6 amps
CFM	358 CFM
Dimensions	26"W x 26"L x 46"H
Hose Length	37 ft.

**CORE
VAC**

Wet or Dry Containment

CORE VAC CV358B DUST CONTAINMENT VACUUM		
Description	Part #	Cat #
CV358B HEPA Vacuum (Bag Style)	4244133	69970
Bag, Continuous (plastic)	4600172	84935



CVG1 VACUUM

**CORE
VAC**



**PATENTED HEPA
SELF-CLEANING SYSTEM**

Powered By:

**HONDA
ENGINES**

**CVG1
Gasoline**


FEATURES:

- Designed for the contractor who requires a large amount of dust containment.
- NEVER-FAIL patented cleaning system
- Lever style lowering dump system for drum
- Heavy duty casters allow for easy mobility for dumping and transportation
- Offers a 5" hose allowing larger air volume and two additional 2" hose inlets for smaller tools
- Less filter cleaning and adaptability to all shrouded equipment

**HONDA 5.8HP GX200
with Electric Start**



DRY ONLY





HEPA FILTERS

✓ **OSHA COMPLIANT**
with our First-Cut™ System

All testing has been completed in a controlled environment using an air velocity meter and a mechanical gauge measured at the neck of each vacuum. These figures should be used as a reference only.

CORE VAC CVG1 DUST CONTAINMENT VACUUM

Description	Part #	Cat #
CVG1 Honda gas vacuum for CC190PRO-EE with hoses	5801901	102452
CVG1-B Briggs gas vacuum for CC190PRO-EE with hoses	5801902	106583
CVG1-COMP Honda gas vacuum with (2) 3" Ports	5801907	110487
Vacuum side cover plate attachment for CC190PRO-EE	2708358	80580
Vacuum adapter 3" to 5"	2504846	82102
HEPA Twin Filter	2508947	105768
6 Mil Bag Liner (50 bags) for CVG1	2506170	83300



LARGE CONICAL HEPA FILTER WITH PATENTED CLEANING SYSTEM

Powered By:



CVG1-B
Gasoline

SPECIFICATIONS

Vacuum Hoses	5" x 15' standard with quick-release clamps
Wheels	Two 5" 200lb rubber Two 5" 200lb swivel caster
CFM	1004
Height	59" (150cm)
Length	34-1/2" (88cm)
Width	28" (71cm)
Weight	375 lbs. (170kg)



Briggs 6.5HP Vanguard with Electric Start



For Use on the
CC190PRO-EE
First-Cut™
Early Entry Saws



Easy Dump Handle

DUST CONTROL - DRILLING

The Heavy Duty Orange **DRY VACUUM CORE BORE BIT** gives long coring life and good productivity in brick, block and non-reinforced concrete. The **DRY VACUUM CORE BORE BIT** is great for clean areas where dust control is required.

Two options for DVH dry dust control drilling:

- 1- **DRY VAC CORE BORE BIT + VAC AIR SWIVEL + MOTOR**
- 2- **DRY VAC CORE BORE BIT + DVH ADAPTER + WEKA DK13**

Heavy Duty Orange Dry Vac (DVH) CORE BORE Bits	
DIAMETER	DVH Cat #
1-1/2"	04775
1-3/4"	04777
2"	04780
2-1/4"	04782
2-1/2"	04785
3"	04789
3-1/2"	04793
4"	04796
4-1/2"	04799
5"	04802
6"	04805

DRY VAC AIR SWIVEL

Use in conjunction with the DVH bit and drill motors with 5/8"-11 spindle (Cat # 01950)



DRY VACUUM AIR SWIVEL


Description	Part #	Cat #
5/8"-11 to 1.250"-12 Vacuum Air Swivel Assembly	4400125	01950
Air Swivel Extension - Optional (for drilling an extra 12" deep)	4400126	01951

Dry Vacuum Bits Must Use a Dry Vacuum Swivel (Cat # 01950) -or- DVH / DK13 adapter (Cat # 75698)



Dry Vacuum Bit Notes:

- Do not use in applications with steel heavier than wire mesh
- 9" drilling depth with 1.250"-12 threaded hub
- NOT designed for hard aggregate concrete



Dry bits are used with intermittent cuts allowing air to cool the bit
NO WATER NEEDED



VACUUM SKID ATTACHMENT - CUTTING



Hose opening measurements:

Outside Diameter: 1-5/8"
Inside Diameter: 1-3/8"

- For use on the C14 & C16 hand saws
- Easy-to-use and attach
- Light weight and efficient dust collection
- Follows the contours of the work piece

CORE VAC SKID ATTACHMENTS

Description	Part #	Cat #
Vacuum Skid C14 Saw Attachment	6078496	80698
Vacuum Skid C16 Saw Attachment	6078502	05225



Diamond Products Limited
333 Prospect Street
Elyria, Ohio 44035 U.S.A.

800-321-5336
diamondproducts.com



LIT#0507